

Versailles

BUILT FOR A LASTING IMPRESSION



LEMIEUX
DOORS

Innovation is synonymous with Lemieux Doors. We're an ideal synthesis of technology & dynamism, proudly defining the leading edge. And Lemieux is in a state of constant evolution, offering unparalleled competitiveness and value through efficient streamlined operations. The Lemieux Doors team is focused on creating the highest-quality products – and we consider them to be an asset without compare. It's among our priorities to see that they enjoy a secure, and stimulating work environment. Given all of this, is it any wonder Lemieux Doors ranks as one of the global leaders in the manufacture of doors?

Versailles

Lemieux Doors is proud to introduce the Versailles Collection, easily the most complete stile-and-rail door produced today. Innovative in concept, and superior in construction, the Versailles Collection puts durability, strength, and stability at the forefront of wooden-door construction technology.

Every detail of its manufacture has been enhanced, from its Laminated Veneer Lumber (LVL) core, and thicker panels, to its exceptional double-coat primer process. Available in 16 premium stain-grade species, the Versailles Collection stands apart as an example of high-tech, innovative door manufacturing, one where quality and value establish a new standard.



Versailles



TABLE OF CONTENTS



HOW IS IT MADE?	4
WOOD SELECTION	8
GLASS OPTIONS	10
CUSTOM DOORS	14
SINGLE-PANEL DOORS	16
2-PANEL DOORS	18
3-PANEL DOORS	24
4-PANEL DOORS	35
5-PANEL DOORS	48
6-PANEL DOORS	56
8-PANEL DOORS	64
OUR COLLECTION	66
DOOR MAINTENANCE	68

The Key to Quality Doors

Lemieux prides itself on being one of the very few world-class manufacturer of doors where the highest-quality methods of production are employed as a standard. This means each door benefits from an exacting process of manufacture, and is individually detailed, delivering an extraordinary fit and aesthetic quality. Our in-house R&D is relentless in its application of the very latest high-tech solutions to door manufacturing, all of which continually serves to enhance Lemieux's quality and productivity.

Furthermore, the Versailles door is built with **Laminated Veneer Lumber (LVL) core, thicker panels, and receives two coats of primer, applied over our industry-leading UV coating (on primed products)**. Lemieux opts for a **mortise and tenon** construction, with its continuous glue lines it provides greater stability and better trimming opportunities over the use of less reliable dowels. This combination guarantees that the Versailles door is the best available!

Lastly, but perhaps of key importance, is the recognition seasoned architects have given us. They, most of all, understand that the greatest rewards come from satisfied customers who appreciate a product that elegantly combines strength, quality, durability and value – the very essence of the Lemieux brand.




LVL Core Technology

Laminated Veneer Lumber (LVL). The name instills a sense of strength and durability. LVL derives its strength from an impressive number of tightly bonded wood veneers, glued together layer-upon-layer, forming a solid tension-resistant core. Our LVL core withstands all tendency to warp and twist, since the layers of veneer are arranged on edge. It's a small detail that makes a big difference, and the advantages of employing this proven structural pattern allows us to avoid using weaker MDF as a core material. Our competition doesn't use LVL because it cost more. But Lemieux understands that the benefits of a longer-lasting, better-built product far outweigh the higher cost.

UV Sealant on Primed Products

Our proprietary UV coating process guarantees every door is delivered ready-to-paint, soon to become transformed into an aesthetically pleasing component of any building design. Our UV coating is comprised of a factory-applied membrane that serves to separate the surface of the door from the subsequent primer coat. A sealant is then rolled onto both sides, and dried under UV lamps, followed by a double coat of primer. The result? An extraordinary door, and a welcome addition to any interior space.




Factory Applied Double-primed

We include not one, but two coats of factory-applied primer over our proprietary UV coating. This insures a heavy, durable base, ready for the finishing paint coat of your choice.

How This Benefits You


This unique construction offers several advantages:

- A 20-year warranty against warping.
- Highly moisture resistant.
- This product requires no special prep work when hinging a standard side hinge, and this applies particularly to pocket doors where hardware must be placed on top.
- All stain-grade species have solid matching edge strips.
- Decreased overall weight. The right combination of increased weight, but not to the point that makes it difficult to work with.
- Extremely safe against intruders.
- A great barrier against both interior and exterior noises.



Panel Thickness

After core construction, panel thickness is the most important contributor to door strength, stability, and durability. A heavier panel is safer, more sound-resistant and adds the necessary weight that will give your door an impressive feel that you appreciate.




Finishing Touch




Radius




Segmented



Standard panel



Arched panel




Classic panel

Door Tops

Cap off any Lemieux door with a crown befitting a king – no longer limited to a straight top, you can indulge in a semi-circular or arched-top doors. Either of which will make a door step out of the ordinary, and into the limelight.

Panels

An interior door panel adds a distinctive finishing touch to any door, and allows you to better integrate their appearance into your design. It's all about aesthetic harmony, and making each door much more than an unassuming entrance.




Face
moulding



Québec
moulding



Sherbrooke
moulding



Windsor
moulding

Applied Mouldings

A door can truly come alive when you add depth with our relief-accentuating mouldings. Transform a simple door into a structural element with dimensional impact and an impressive distinction. Lemieux offers 4 types of applied mouldings, and they're an easy way to leave your impression on a building decor. They allow you to sign each door with excellence, creating surfaces with daring and definition.



Double-rabbet jamb (4 9/16" and 6 9/16")



Single-rabbet jamb (4 9/16" and 6 9/16")



Interior Jambs and Exterior Frames

Because we also carry a full line of interior jambs and exterior frames, every component of your door design originates from the same source. Gone are the annoying structural and aesthetic incompatibilities that can arise from multi-sourced materials. Our turnkey solutions are designed to fit, last, and of course, to impress.




Flat jamb (4 9/16" and 6 9/16")



Fire-Rated Doors

Lemieux carries a full line of fire-rated doors and jambs. They range from 20 (negative and positive), 60, and 90-minute-rated models, in sizes up to 4/0 width and 8/0 height, and are available in a range of custom sizes and designs, with either a primed paint finish, or a choice of 16 different species of stain grade.

Benefit from the advantages of using a single source for all your fire-rated door requirements. Doors and jambs that fit with a quality and durability nothing short of enviable. It's no longer a choice between form and function, because Lemieux's fire-rated door products afford your clients the peace of mind they need, and the great looks they want.



Fire-rated doors specifications

Rating	Cat.	Maximum size opening				Panel profile	Prefit	Available top rail selection	Standards compliance				
		Single		Pairs									
		Width	Height	Width	Height								
20	A	42"	96"	84"	96"	Flat, Raised (SH), V-groove (SH & DH)	0°: Prefit \leq 1/4 3°: 3° - 0" only	Arch, Classique, Half-Arch, Half-Classique, Half-Round, Round-Round, Round-Top, Square	Both positive and neutral, UL 10(c), UBC 7-2 (1997) Part 1, NFPA 252, ASTM E2074-00				
	B	42"	96"	N/A	N/A		0° and 3°: Prefit \leq 1/4						
60	A	42"	96"	84"	96"	Flat, Raised (SH), V-groove (SH & DH)	0°: Prefit \leq 1/4 3°: 3° - 0" only		Both positive and neutral, UL 10(c), UBC 7-2 (1997) Part 1, NFPA 252, ASTM E2074-00, ASTM E152-81a				
90	A	42"	96"	N/A	N/A	Flat, Raised (SH), V-groove (SH & DH)	0°: Prefit \leq 1/4 3°: 3° - 0" only	Arch, Classique, Half-Arch, Half-Classique, Half-Round, Round-Top, Square	Both positive and neutral, UL 10(c), UBC 7-2 (1997) Part 1, NFPA 252, ASTM E2074-01, ASTM E152-81a				

Category A Lemieux Doors's category A doors are manufactured with a sealing system concealed into the edges of the door. This means that no additional edge-sealing system is required between the door and frame.

Category B These doors require an addditionnal edge-sealing system between the door and frame.

Natural

Beauty


Wood and
Stain-Grade
Species

The suppleness of maple, the warmth of pine, the richness of mahogany – your choice of wood can make all the difference. What matters is that it suits your tastes and style, and achieves the effect you're looking for. Lemieux Doors prides itself on offering an impressive selection of woods that adapt gracefully to any decor and give your home an irresistible ambiance.

We've traveled the world so that we might bring you the best, managed-forest woods available. Responsible forest management is an important part of our philosophy, and ensures access to a renewable supply for years to come. That's more than can be said for resource-depleting materials like steel, and fiberglass!

Lemieux offers 16 attractive stain-grade species, and excluding the double-primed variety, are all 100% stain grade. And because we've standardized the use of the stain-grade species across all our products, Lemieux's applied mouldings, jambs, and fire-rated doors can be perfectly matched to any other of our components.

What's more, in 2005 Lemieux was the winner of the Canadian Solar Thermal Project of the Year awarded by the Canadian Solar Energies Association. High praise indeed! We're proud to work with materials that neither contaminate ground water, pollute the air, or harm wildlife. And we intend to keep it that way.



Primer Coat

VG Douglas Fir

Maple

Pine

WOOD SELECTION




Lighting Effects

With over 94 varieties of glazing, Lemieux offers the widest array of any door manufacturer. From crystal-clear, to frosted and semi-opaque, patterned or plain – we'll custom-build doors that will work in harmony with your plans, enhancing your design intention and make any building worthy for inclusion into the proudest architectural portfolios. Incorporating the right exterior door into your designs offers numerous advantages – and Lemieux provides two essential glazing technologies:


LOW-E The added bonus lies in the properties of low-e glass and its ability to reduce the damaging effects of UV radiation on carpets, furnishings and upholstery.

INSULATED GLASS Our high-quality reduced-thermal-emissivity glass not only reflects back solar heat in summer, and retains it in winter, but helps attenuate exterior noise and reduce potential condensation. So the buildings you design are not only energy-efficient, they're more comfortable and economical.




GLASS OPTIONS





GLASS OPTIONS




Simply Unleash Your Creativity

With the nearly endless options you can apply to any of our doors, the potential for original impressive design is potentially limitless. And so is the impact these custom-built, high-quality products can lend to your plans. It's so simple to be creative – make your choices, and we'll make your door!

From panels created with personalized designs, to custom-sized doors, and our exclusive selection of glazing – when it comes to tailored requests, it's clear the possibilities are endless. Lemieux Doors will process your custom order quickly and efficiently, delivering a new door that's a true reflection of you, and gives your home that perfect final touch you're looking for.




1 Choose a door style





2 Choose a stain-grade species




3 Choose a top



4 Choose a paneling design



5 Choose a moulding




6 Choose a glazing





7 All that's left is to admire the exceptional results. It's that easy!


With our modular approach to design & customization, creating a door that's both an attractive, harmonious extension of your concept, and being able to call it your own, are now one and the same. And finally, Lemieux is also opening up new ways to prepare your estimates, with our exclusive Lemieux Doors Quoting System (LDQS). We've designed our world to make yours easier to work in, and we're convinced that better doors will always lead the way into better buildings.





Versailles

Single-panel doors






VC11




VC11-A




VC11-S




VC11-AB




VC11-CL




VC11-AA




VC11-CLB




VC11-AAB




VC11-R



VC11-HR



VC11-RT



VC11-HRT



VC11-HA



Custom Orders



Be Creative From panels created with personalized designs, to custom-sized doors, and our exclusive selection of glazing - when it comes to tailored requests, it's clear the possibilities are endless. Lemieux Doors will process your custom order quickly and efficiently, delivering a new door that's a true reflection of you, and gives your home that perfect final touch you're looking for.




Versailles

2-panel doors







VC21-A




VC21-AB




VC21-AA




VC21-AAB




VC21-S




VC21-CL




VC21-CLB




VC21-R




VC21-HR



VC21-RT



VC21-HRT




VC21-HA

Custom Orders


Be Creative From panels created with personalized designs, to custom-sized doors, and our exclusive selection of glazing - when it comes to tailored requests, it's clear the possibilities are endless. Lemieux Doors will process your custom order quickly and efficiently, delivering a new door that's a true reflection of you, and gives your home that perfect final touch you're looking for.




VC22 2-PANEL DOORS




VC22




VC22-A




VC22-AB




VC22-A10




VC22-A10B




VC22-AA




VC22-AAB




VC22-AA10




VC22-AA10B




VC22-S




VC22-S10




VC22-CL




VC22-CLB




VC22-CL15



VC22-CL15B




VC22-R



VC22-HR



VC22-RT



VC22-HRT























VC22-HA






















VC22-HA10


VC24 2-PANEL DOORS














VC25 2-PANEL DOORS



VC26 2-PANEL DOORS





VC26





Versailles

3-panel doors



VC30 3-PANEL DOORS



VC30-A




VC30-AA




VC30-AB




VC30-AAB




VC30-A20



VC30-AA20




VC30-A20B



VC30-AA20B



VC30-S



VC30-S20




VC30-CL



VC30-CLB



VC30-CL25




VC30-CL25B




VC30-R



VC30-HR




VC30-RT



VC30-HRT




VC30-HA




VC30-HA20

VC31 3-PANEL DOORS




VC31




VC31-A



VC31-AB



VC31-A20




VC31-A20B




VC31-AA




VC31-AAB



VC31-AA20



VC31-AA20B



VC31-S




VC31-S20



VC31-CL




VC31-CLB




VC31-CL25



VC31-CL25B




VC31-R



VC31-HR




VC31-RT



VC31-HRT
























VC31-HA




VC31-HA20



VC32 3-PANEL DOORS




VC33 3-PANEL DOORS



VC33



VC33-A



VC33-AB




VC33-A20



VC33-A20B




VC33-AA



VC33-AA20



VC33-S




VC33-S20




VC33-CL



VC33-CLB



VC33-CL25



VC33-CL25B




VC33-R



VC33-HR



VC33-RT



VC33-HRT





VC33-HA




VC33-HA20


VC34 3-PANEL DOORS




VC34-CL



VC34-CLB




VC34-CL15




VC34-CL15B




VC34-R




VC34-HR



VC34-RT




VC34-HRT




VC34-HA




VC34-HA10




VC34-A




VC34-AB




VC34-A10




VC34-A10B




VC34-AA



VC34-AA10




VC34-S



VC34-S10

VC35 3-PANEL DOORS




VC35




VC35-A




VC35-AB




VC35-A10




VC35-A10B




VC35-AA



VC35-AA10




VC35-S




VC35-S10




VC35-CL




VC35-CLB




VC35-CL15




VC35-CL15B




VC35-R




VC35-HR




VC35-RT



VC35-HRT




















VC35-HA




VC35-HA10


VC36 3-PANEL DOORS



VC37 3-PANEL DOORS



VC37



VC37-AA



VC37-AB



VC37-A20



VC37-A20B



VC37-CL



VC37-CLB




VC37-CL25



VC37-CL25B




VC37-R



VC37-HR



VC37-RT















VC37-HRT



VC37-HA



VC37-HA20




Custom Orders

Be Creative From panels created with personalized designs, to custom-sized doors, and our exclusive selection of glazing - when it comes to tailored requests, it's clear the possibilities are endless. Lemieux Doors will process your custom order quickly and efficiently, delivering a new door that's a true reflection of you, and gives your home that perfect final touch you're looking for.



VC39 3-PANEL DOORS




VC39




VC39-A




VC39-AB




VC39-A20



VC39-A20B



VC39-AA



VC39-AA20




VC39-S




VC39-S20




VC39-CL



VC39-CLB



VC39-CL25




VC39-CL25B




VC39-R



VC39-HR




VC39-RT



VC39-HRT





VC39-HA












VC39-HA20

Versailles













4-panel doors












VC40 4-PANEL DOORS





VC41 4-PANEL DOORS




VC411 4-PANEL DOORS




VC42 4-PANEL DOORS




VC42-A



VC42-AB




VC42-A10




VC42-A10B




VC42-AA




VC42-AA10



VC42-S




VC42-S10




VC42-CL




VC42-CLB




VC42-CL15




VC42-CL15B




VC42-R




VC42-HR




VC42-RT



VC42-HRT




VC42-HA




VC42-HA10


VC422 4-PANEL DOORS




VC422




VC422-CL




VC422-CLB




VC422-CL15



VC422-CL15B




VC422-R




VC422-HR




VC422-RT



VC422-HRT


















VC422-HA



VC422-HA10




















VC43 4-PANEL DOORS




VC44 4-PANEL DOORS



VC45 4-PANEL DOORS




VC46 4-PANEL DOORS












VC46













VC47 4-PANEL DOORS




1-3/8"





VC48 4-PANEL DOORS



VC49 4-PANEL DOORS



VC49




VC49-A




VC49-AB




VC49-A10




VC49-A10B



VC49-AA




VC49-AA10




VC49-S




VC49-S10




VC49-CL




VC49-CLB




VC49-CL15




VC49-CL15B




VC49-R




VC49-HR



VC49-RT



VC49-HRT





VC49-HA














VC49-HA10

Versailles


5-panel doors




VC51 5-PANEL DOORS



VC52 5-PANEL DOORS



VC52



VC52-A




VC52-AB




VC52-A20




VC52-A20B




VC52-AA




VC52-AA20




VC52-S



VC52-S20




VC52-CL




VC52-CLB




VC52-R



VC52-HR






VC52-HA



VC52-HA20


VC53 5-PANEL DOORS



VC53-A




VC53-AB




VC53-A40




VC53-A40B




VC53-AA




VC53-AA40




VC53-S




VC53-S40




VC53-CL




VC53-CLB




VC53-R




VC53-HR



VC53-RT



VC53-HRT




VC53-HA





VC53-HA40


VC54 5-PANEL DOORS




VC54




VC54-A




VC54-AB




VC54-A20



VC54-A20B




VC54-AA




VC54-AA20




VC54-S




VC54-S20




VC54-CL




VC54-CLB




VC54-CL25




VC54-CL25B




VC54-R



VC54-HR



VC54-RT



VC54-HRT











VC54-HA




VC54-HA20


VC55 5-PANEL DOORS




VC56 5-PANEL DOORS




VC56




VC56-A




VC56-AB




VC56-AA




VC56-S




VC56-CL




VC56-CLB




VC56-R



VC56-HR


















VC56-RT





VC56-HA

VC57 5-PANEL DOORS




Versailles

6-panel doors



VC60 6-PANEL DOORS




VC60-A




VC60-AA



VC60-AB




VC60-AA50




VC60-A50



VC60-A50B



VC60-S




VC60-S50



VC60-CL



VC60-CLB




VC60-CL55



VC60-R



VC60-HR



VC60-RT



VC60-HRT


















VC60-HA






VC60-HA50


VC61 6-PANEL DOORS




VC62 6-PANEL DOORS




VC62-A




VC62-AB




VC62-A20




VC62-A20B




VC62-AA




VC62-AA20




VC62-S




VC62-S20




VC62-CL




VC62-CLB




VC62-CL25




VC62-CL25B




VC62-R



VC62-RT



VC62-HA



VC62-HA20


VC63 6-PANEL DOORS



VC64 6-PANEL DOORS



VC66 6-PANEL DOORS




VC66




VC66-A




VC66-AB




VC66-A20




VC66-A20B




VC66-AA



VC66-AA20



VC66-S




VC66-S20




VC66-CL




VC66-CLB



VC66-CL25




VC66-CL25B



VC66-R



VC66-RT




























VC66-HA



VC66-HA20

VC67 6-PANEL DOORS



VC67-HR

VC67-RT



VC67-HRT

VC67-HA
















VC67-HA20

Versailles

8-panel doors



VC88 8-PANEL DOORS



Our Collections



French Doors, Le Palais and Artisan Collections are also available with **LVL Core** Technology!

Treat yourself with to the door of your choice while fulfilling your home décor needs. Our **French Doors** are built using a clamp-glazed method perfected by Lemieux in 1992. We avoid the use of nails and staples, thus producing a clean, unblemished finish. It's an innovation that's had a definite impact, and helped Lemieux Doors become a leader in North American French-door sales.

Sophistication and originality are the hallmark of the **Le Palais** Collection, created to lend an air of distinctive personality to your home. Graced with intricate and inventive designs, Le Palais is a labour of love with added prestige.

The charm of the countryside are captured in the **Artisan** Collection, and its rustic appeal is well deserved. These are doors built by true craftsmen! Unparalleled attention to detail and quality aside, they're among the best doors available today.

Consult our website to see all available models



French Doors



LEMIEUX DOORS



Le Palais



Artisan

Care & Finishing

Handling

Wood doors should be treated like fine wood furniture.

1. Do not drag doors or walk on them.
2. Do not subject them to extreme or rapid changes in humidity or heat.
3. Doors stored on a job site must have all surfaces sealed with a high-quality oil-based sealant to prevent moisture absorption.

Preparation for Finishing

1. Machine and hang door before finishing, and then remove to properly finish. Doors must be sealed prior to installation of hardware and exposure to moisture and weather. Apply finish behind hinges, in bores and mortises. Doors must be properly finished immediately before prolonged storage.
2. Adjust or align components before finishing if necessary. Wood panels and bars "float" and may be knocked into alignment with a wood block and mallet. Use caution not to damage the door.
3. Sand the entire surface lightly with 180 grit sandpaper before finishing. This is to remove handling marks, finger prints and residues that may prevent a satisfactory finish.
4. Clean the door thoroughly with a cloth to remove all dust and foreign material. Do not use abrasive or caustic cleaners on the door.
5. All six sides of the door must be finished. The edges (top, bottom and sides) should be coated with each and every coat of finish that is applied to the face of the door. Doors must be dry before finishing.
6. Glazed exterior doors with any exposure to the elements **must have** a cap bead of clear silicone applied around the perimeter of the glass on the exterior side or the warranty will be considered void.
7. It is the finisher's responsibility to protect glass prior to and during finishing. Caution must be used when clean glass as not to scratch the glass. Glass that is scratched due to clean is not covered by the warranty.
8. Plastic film protection on the glass should be removed immediately after applying the finish. Failure to remove the plastic film at this time may cause harm to the glass and may create difficulty in removing the film. Use caution to avoid scratching the glass while cleaning it. Glass that is scratch due to cleaning is not covered by the warranty.

Finishing

Lap the paint or varnish onto the glass 1/16". Be sure all moulding miters are completely finished without gaps. And ensure that there are no gaps where the panels meet the stiles and rails.

If You Paint Use a high-quality oil-base primer and paint. If the door was primed at the factory by Lemieux, use two coats of an oil-base paint. Completely finish all six sides. The warranty is considered void if the door is not finished properly.

If You Stain A wood conditioner is highly recommended. Use an oil-base stain. We do not recommend stains containing polyurethane. Stain all six sides. Once staining is complete seal all six sides twice with a spar varnish or spar urethane. **The warranty will be considered void if you do not seal all six sides.**

Exposure

Exterior wood doors should be protected from the elements as much as possible. Sun, rain, and snow can break down the finish on your door and cause performance issues.

As a rule of thumb, the recommended amount of overhang for a wood door is:

- One-half the distance from the sill to the overhang for a northern, or eastern exposure, and the entire distance for a southern or western one.
- When choosing a finish for a door that is exposed to the elements, it is recommended that you paint it with a light-coloured, high-quality oil-based paint.

Maintenance

Like fine furniture, your door requires simple, periodic maintenance in order to keep it looking fresh, operating properly, and well-protected against the elements. There is no set schedule for door maintenance, but your local climate, and its exposure may help you gauge how often it is required. Here are a few tell-tale signs that maintenance is due:

- Hairline cracks in the finish.
- Changes in the color of the finish.
- Flaking or scaling of the finish.
- Dullness or chalkiness of the finish.

For additional information, or to make a warranty claim, contact your Lemieux door supplier.

Limited Warranty

Interior & Exterior (paneled or glazed) Doors

Lemieux warrants to the immediate purchaser for a period of one year from the date of manufacture that its doors will be free from defects in materials or workmanship as follows:

1. Warping of the door in excess of 1/4 inch.
2. Splits in door panels in excess of 1/16 inch.
3. Delaminating of stiles or rails.
4. Separation of stiles and rails in excess of 1/16 inch.

Warp means a distortion in the plane of the door itself and does not refer to the relationship of the door to the frame or the jamb in which it is hung. The term warp shall include bow, cup and twist. Warp shall be measured by placing a straight edge on the suspected concave face of the door at any angle. The measurement of warp shall be made at the point of maximum distance between the bottom of the straight edge and the face of the door.

Insulated Glass

Carries a five (5) year warranty against seal failure.

Lemieux' responsibility is to the replacement of any product deemed defective. Lemieux is NOT responsible for any costs associated with the product, i.e. re-hanging, refinishing, labor, shipping, closing costs, transportation, etc.

Our limited warranty is based on the directions given in our Handling and Finishing Instructions.

General Exclusions

The following items are specifically excluded from the warranty of all Lemieux products.

1. Unsatisfactory service or appearance caused by failure to follow the Handling and Finishing.
2. Appearance of field-finished doors.
3. Natural variations in the color and/or texture of the wood.
4. Movement or shrinkage of finished raised panels in raised-panel doors.
5. Warping splitting or delaminating caused by failure to protect and seal all six sides within 72 hours of installation on the jobsite.
6. Defects caused by normal wear and tear, weathering, customer abuse and neglect or alteration.

Lemieux Doors Inc. – Maximum liability is limited to the purchase price of the product.



www.lemieuxdoors.com

Litho Canada

Distributed by



92 2nd Avenue, Windsor, Quebec, Canada J1S 1Z4 Tel.: 819-845-2739 1-877-845-2739 Fax: 819-845-7539