

2014 Masonite exterior doors

 *Masonite*[®]
the beautiful **door**[™]



Today more than ever, Masonite is relentlessly focused on delivering product, service and design innovations that enhance beauty and functionality, creating greater value for our customers throughout the world.

today•

Masonite restructures and emerges with new private ownership. **2009•**

April 6, 2005, Kohlberg Kravis Roberts & Co. acquires Masonite International Corporation. **2005•**

Masonite acquires The Stanley Works residential entry door division. **2004•**

Masonite's largest customer and one of the world's leading door manufacturers, Premdor, Inc., acquires Masonite Corporation from International Paper Company. **2001•**

Masonite enters the door business as a component supplier to the door industry. **1972•**

The John M. Cootes Technical Center was built in 1960 as the Company recognized the importance of separating Research & Development from mill operations to focus on new product and process innovation. **1960•**

Masonite's current patent company enters the door business. **1955•**

Masonite goes public with common stock shares listed on the New York Stock Exchange. **1935•**


The Company's name was changed to Masonite Corporation. **1928•**

On September 1, 1925, the corporation was formed and named Mason Fibre Company. **1925•**

Well known researcher and engineer - William H. Mason, changed building materials industry forever by inventing the way wood is used to form more effective building materials. **1924•**

1924

about Masonite®




THE MASONITE BRAND

Since 1925, the Masonite name has been known worldwide for its commitment to product innovation, manufacturing excellence and customer service. These qualities and values are as true today as they were more than 80 years ago.

Masonite is constantly expanding its diverse line of interior and exterior doors to meet any design or budget. By combining the long-standing spirit of innovation with customer-focused product development, Masonite continues to be the brand that builders, remodelers and homeowners rely on in their quest to create homes of distinction.

Brands of Masonite's stature don't just happen. They come from years of dedication and a relentless commitment to improvement. That's why Masonite has one of the world's largest private research and development facilities in the door industry. Masonite owns hundreds of international patents, trademarks and applications.

Through a variety of strategic marketing initiatives, the Company is committed to growing the Masonite brand. Masonite believes that a strong brand will bring value to the products used in homes worldwide and increase the business of its customers. It is for these reasons that Masonite stands as one of the greatest brands within the building products industry.



explore the better door



BELLEVILLE® SMOOTH with clear glass and Craftsman internal grilles – door BLS-122-04C-X – sidelites BLSSL-152-03C-X



more door designs
more glass styles
more value





HD STEEL with Element® glass with applied dentil shelf - door MHD-215-328-2 - sidelites MHD-152-328-X

Masonite's Full Line of Entry Doors	6	Security Door/Multi-Point Lock.....	34	Entry Systems Rough Openings	92
How to Choose Your Door	8	ENERGY STAR.....	36	Patio Door Rough Openings	93
Masonite Fiberglass Door Collection		Decorative Glass	38	Masonite® Patio & Flush-Glazed Doors	94
AvantGuard® Finish & Doors.....	10	Masonite Codes Defined.....	38	Masonite® Patio Glass Designs	96
Barrington®		Clear Glass.....	84	How to Measure Your Door	100
Traditional	14	Internal Blinds.....	84	Door Handling	101
Craftsman	20	Venting Lites.....	84	Door Availability Charts.....	102
Flagstaff® & Sierra®	22	External Grille Inserts.....	84	Masonite® Stain Kit.....	108
Belleville®		Internal Grille Inserts	86	Glass Availability Charts.....	110
Textured	24	SDL (Simulated Divided Lite).....	87		
Smooth	28	Entry Systems.....	88		
Oakcraft®	30	U-Install®.....	89		
Masonite® HD Steel Door Collection ..	32	Fast-Frame®.....	90		

Masonite offers

more door OPTIONS with more door VALUE

	FIBERGLASS		
	BARRINGTON®		
	TRADITIONAL	SIERRA® & FLAGSTAFF®	CRAFTSMAN
 Rating	★★★★★ Exceptional	★★★★★ Exceptional	★★★★★ Exceptional
 Door & Glass Panel Options	Custom door panel with glass designs	Custom door panel with complementing sidelite glass designs	Custom door panel with glass designs
 Woodgrain Texture	Traditional oak & mahogany with variable-depth woodgrain	Traditional & ribbon-stripped mahogany with variable-depth woodgrain	Rift-cut oak & traditional mahogany with variable-depth woodgrain
 Door Core	Polyurethane	Polyurethane	Polyurethane
 ENERGY STAR® Eligible*	✓	✓	✓
 Finish Options	Stain or Paint	AvantGuard® Prefinished, Stain or Paint	Stain or Paint
 Warranty	Limited Lifetime Warranty†	Limited Lifetime Warranty† 5 Year for AvantGuard® Finish†	Limited Lifetime Warranty†

We bring you more styles, designs, textures and sizes to choose from for your home. Homeowners, remodelers, architects and builders rely on Masonite for superior craftsmanship, durability and value in both fiberglass and steel doors. Choose from our extensive line of entry doors to make all your entrances grand.

* A critical component of an ENERGY STAR qualified entryway.
 ▲Belleville Mahogany has premium hardwood stiles.
 †All warranties are limited.

Traditional



Rich, classic elite line offers superior woodgrain authenticity with excellent durability and performance.

Sierra®



Southwest and country inspired designs in our superior woodgrain motif engineered for excellent durability and performance.

Flagstaff®



Craftsman



Crafted in Mission style with your choice of our superior woodgrain texture engineered for excellent durability and performance.

ENGINEERED TO LAST A LIFETIME

FIBERGLASS			STEEL	
BELLEVILLE®		OAKCRAFT®	STA-TRU®	MASONITE HD
TEXTURED	SMOOTH	OAKCRAFT®		
★★★★ Excellent	★★★ Best	★★★ Best	★★ Good	
Over 100 customizable door and glass designs		Over 100 customizable door and glass designs	Over 100 customizable door and glass designs	
Traditional oak, fir & ribbon-stripped mahogany with variable-depth woodgrain		Traditional oak with single-depth woodgrain	Smooth	
Polyurethane		Polyurethane	Polyurethane	
✓		✓	✓	✓
AvantGuard® Prefinished, Stain or Paint*	AvantGuard® Prefinished, Paint	Stain or Paint	Prefinished white	Paint
Limited Lifetime Warranty† 5 Year for AvantGuard® Finish†		Limited 25 Year Warranty†	Limited 20 Year Warranty†	Limited 5-15 Year Warranty†

Textured



Smooth


Mix and match high-performing natural woodgrain textured or smooth door designs with your choice of decorative glass.

Oakcraft®



Sleek look with a variety of door and glass options to choose from, engineered for performance.

Sta-Tru®



Masonite HD

High-definition panel profile offers the security of steel for years of performance.

how to choose your door

1 what's your **style?**

Select from our vast line of traditional, contemporary or modern designs from 1 panel to 9 panel patterns, with or without decorative glass elements.



configuration
options




2 what **glass design** do you want?



See the glass section to view all glass designs and sizes available.

3 choose your **material**



species **BMT** Belleville® Mahogany Textured **BLT** Belleville® Oak Textured **BFT** Belleville® Fir Textured
BLS Belleville® Smooth **OAK** Oakcraft® **SHD** Sta-Tru® HD Steel **MHD** Masonite® HD Steel



FIBERGLASS

Engineered to Last a Lifetime

- proprietary, high-performance fiberglass doors are specially engineered to provide maximum protection and durability
- looks like real wood & insulates 5X better*
- available in mahogany, oak and fir woodgrain textures or a smooth finish
- smooth can be painted and textured best stained
- ideal for coastal applications
- will not dent or rust, plus resists splitting, cracking and warping
- square-edge, engineered stiles provide excellent dimensional stability for harsh weather climates
- reinforced lock block provides strength and security for door hardware
- high-quality composite wood bottom rails are rot and corrosion resistant
- backed by a Limited Lifetime Warranty



STEEL

High-Performance Steel

- durable, secure and long lasting
- resists rotting, splitting and cracking
- insulates better than wood*
- smooth finish
- easy to paint



*Based on insulating characteristics of polyurethane foam core compared to wood.

AvantGuard[®] finish



Spanish Cedar

6'8"



Flagstaff[®]
plank
BAC-P



Sierra[®] 2 panel
plank camber-top
BAC-2P



Sierra[®] 2 panel plank
camber-top arch-top
BAC-2R



full lite
w/BR2
BACSL-154-BR2-X



full lite
w/Chord
BACSL-154-115-X



full lite w/
Pear
BACSL-154-116-X



full lite
w/clear
BACSL-154-LEA-X

8'0"



Flagstaff[®] plank
BAC-P



Sierra[®] 2 panel
plank camber-top
BAC-2P



Sierra[®] 2 panel plank
camber-top arch-top
BAC-2R



full lite w/BR2
BACSL-853-BR2-X



full lite w/
Chord
BACSL-853-115-X



full lite w/Pear
BACSL-853-116-X



full lite w/clear
BACSL-853-LEA-X

Door Finish

CRITERIA	STAINED* WOOD	AVANTGUARD [®]	STAINED* FIBERGLASS
Appearance Authenticity	High	High	Medium
Top Coating Required	Yearly	After 5 Years	After 2-3 Years
Finish Warranty	1 Year	5 Year	2+ Years
ENERGY STAR Eligible **	No	Yes	Yes
Weatherability	Low	High	Medium

*Stained finish refers to a conventional stain and topcoat system.
Finish warranty may vary by product supplier.


**See page 36 for more details.

Note: AvantGuard sidelites with clear glass are standard Low-E and argon-filled for optimum thermal performance.

The Fusion of Wood & Fiberglass

Some would call a beautiful wood door with little to no maintenance a dream. We call it AvantGuard.

Sidelite Glass Options:



BARRINGTON® SIERRA® & FLAGSTAFF® DESIGNS

Black Walnut

6'8"



Flagstaff® plank
BLW-P



Sierra® 2 panel
plank camber-top
BLW-2P



Sierra® 2 panel plank
camber-top arch-top
BLW-2R



full lite w/BR2
BLWSL-154-BR2-X



full lite w/
Chord
BLWSL-154-115-X



full lite w/Pear
BLWSL-154-116-X



full lite w/clear
BLWSL-154-LEA-X

8'0"



Flagstaff® plank
BLW-P



Sierra® 2 panel
plank camber-top
BLW-2P



Sierra® 2 panel plank
camber-top arch-top
BLW-2R



full lite w/BR2
BLWSL-853-BR2-X



full lite w/
Chord
BLWSL-853-115-X



full lite w/Pear
BLWSL-853-116-X



full lite w/clear
BLWSL-853-LEA-X



5 Layers of Defense


automotive
type clear coat

image layer

protective base coat


textured fiberglass

polyurethane foam



Note: Above diagram not to scale

BAC Barrington® AvantGuard® Spanish Cedar
BLW Barrington® AvantGuard® Black Walnut



BARRINGTON® Sierra with AvantGuard® Black Walnut finish –
door BLW-2P – sidelites BLWSL-154-LEA-X

AvantGuard[®] finish



Cherry

6'8"



2 panel square-top
BLC-2ST



6 panel
BLC-6



1 panel w/Element
1/2 lite
BLC-106-328-1



2 panel w/Element
1/2 lite
BLC-106-328-2



Hollister[®] 2 panel
w/Alston
3/4 oval lite
BLC-304-338-2



Hollister[®] 1 panel
w/Element
3/4 rectangle lite
BLC-404-328-1



1 panel
w/Element
1/2 lite
BLC-129-328-1




full lite
w/Alston
BLC-152-338-X



1 panel w/
Element
3/4 lite
BLC-450-328-1

Available Glass Options:



Alston[®] 338



Element[®] 328



Sienna[®] 817



Clear LEA (only sidelites)

Unlike any other door, AvantGuard perfectly blends beauty and durability into one patented package by combining the aesthetics of wood with the durability of fiberglass.

	6'8"								
Cherry	BLC-2ST	BLC-6	BLC-106-1	BLC-106-2	BLC-304-2	BLC-404-1	BLC-129-1	BLC-152-X	BLC-450-1
Panel	•	•							
Alston 338			•	•	•	•	•	•	•
Element 328			•	•		•	•		•
Sienna 817			•	•	•	•	•	•	•
Clear LEA							•	•	•

BELLEVILLE® PANEL DESIGNS

Black Walnut

6'8"



Hollister® 2 panel
w/Alston 3/4 oval lite
BLW-304-338-2




Hollister® 1 panel
w/Alston 3/4 rectangle lite
BLW-404-338-1



6 panel
BLW-6



2 panel
w/Alston 1/2 lite
BLW-106-338-2



1 panel
w/Alston 1/2 lite
BLWSL-129-338-1



1 panel
w/Alston 3/4 lite
BLWSL-450-338-1

8'0"



Hollister® 2 panel
w/Alston 3/4 oval lite
BLW-306-338-2



Hollister® 1 panel
w/Alston 3/4 rectangle lite
BLW-122-338-1



6 panel
BLW-6



*2 panel
w/Alston 1/2 lite
BLW-404-338-2



full lite
w/Sienna
BLWSL-852-817-X



BELLEVILLE® HOLLISTER® with AvantGuard® Black Walnut finish and Alston® glass BLW-404-338-1

	6'8"					
Black Walnut	BLW-6	BLW-304-2	BLW-404-1	BLW-106-2	BLWSL-129-1	BLWSL-450-1
Panel	•					
Alston 338		•	•	•	•	•
Element 328			•	•	•	•
Sienna 817		•	•	•	•	•
Clear LEA					•	•

	8'0"				
Black Walnut	BLW-6	BLW-306-2	BLW-122-1	BLW-404-2	BLWSL-852-X
Panel	•				
Alston 338		•	•	•	
Element 328				•	
Sienna 817			•	•	•
Clear LEA					•

Belleville® Hollister® with AvantGuard® Black Walnut finish and Element® glass BLW-404-328-1



BLC Belleville® AvantGuard® Cherry
BLW Belleville® AvantGuard® Black Walnut

Note: AvantGuard sidelites with clear glass are standard Low-E and argon-filled for optimum thermal performance.

*Not available in 3'6" width

Designer Woodgrain fiberglass



BARRINGTON® MAHOGANY TEXTURED with BR2 glass - door BRM-303-BR2-2V - transom C38-900

The essence of luxury & performance
Featuring exquisite raised moulding panel profiles for an upscale look.

TRADITIONAL DOOR STYLES

Authentic Woodgrain Texture

- composite door surface replicates an authentic mahogany or oak door appearance
- features Masonite's variable-depth, realistic, woodgrain texture
- finishes easily and beautifully

Distinct Raised Moulding

- raised moulding creates beautiful shadow lines
- panels are recessed below the surface at the stiles & rails
- adds visual depth and character

Oversized Lock Block

- lock area is reinforced to accommodate premium door hardware

Stain-Grade Matching Hardwood Stiles



- built with true square-edge construction
- engineered oak or mahogany capped stiles

Glass Frame Profiles

- designed to match the panel moulding for a consistent appearance

Factory-Glazed Doors & Sidelites

- yields wider glass and narrower stiles & rails without unsightly screw plugs



BARRINGTON® OAK TEXTURED with BR4 glass - door BAR-303-BR4-2V - sidelites BARSL-451-BR4-1

Traditional door styles

Barrington® Doors with BR4 Glass



BR4 Glass
antique black coming
low-e argon construction



BR4 brings contemporary styling to Barrington doors.



BAR Barrington® Oak Textured **BRM** Barrington® Mahogany Textured

Barrington® Doors with BR3 Glass

6'8"



7 panel center arch
lite oak
BAR-204-BR3-7



1 panel full
oval lite oak
BAR-301-BR3-1



2 panel
3/4 oval lite oak
BAR-303-BR3-2V



2 panel 3/4 oval lite
mahogany
BRM-303-BR3-2V



6'8"



2 panel
3/4 rectangle lite oak
BAR-405-BR3-2



2 panel 3/4 rectangle
lite mahogany
BRM-405-BR3-2



3 panel 1/2 camber-
top lite oak
BAR-411-BR3-3



1 panel
3/4 lite oak
BARSL-451-BR3-1



1 panel
3/4 lite mahogany
BRMSL-451-BR3-1



full lite
oak
BARSL-154-BR3-X

BR3 Glass
platinum caming

8'0"



2 panel 3/4 rectangle
lite oak
BAR-123-BR3-2



7 panel center arch
lite oak
BAR-205-BR3-7



2 panel
3/4 oval lite oak
BAR-302-BR3-2V



2 panel 3/4 oval lite
mahogany
BRM-30-BR32-2V



3 panel 1/2 camber-
top lite oak
BAR-412-BR3-3



1 panel
3/4 lite oak
BARSL-153-BR31



1 panel
3/4 lite mahogany
BRMSL-153-BR3-1



full lite
oak
BARSL-853-BR3-X



elliptical transom E-725




rectangle transom T-725



shoulder transom S-725



half circle transom C38-725



half circle transom C-725

Traditional door styles

Barrington® Doors with BR2 Glass

6'8"



7 panel center arch
lite oak
BAR-204-BR2-7



1 panel full oval lite
oak
BAR-301-BR2-1



2 panel
3/4 oval lite oak
BAR-303-BR2-2V



2 panel 3/4 oval lite
mahogany
BRM-303-BR2-2V



6'8"



2 panel
3/4 rectangle lite oak
BAR-405-BR2-2



2 panel 3/4 rectangle
lite mahogany
BRM-405-BR2-2



3 panel 1/2 camber-
top lite oak
BAR-411-BR2-3



1 panel
3/4 lite oak
BARSL-451-BR2-1



1 panel
3/4 lite mahogany
BRMSL-451-BR2-1



full lite
oak
BARSL-154-BR3-X

BR2 Glass
antique black caming

8'0"



2 panel 3/4 rectangle
lite oak
BAR-123-BR2-2



7 panel center arch
lite oak
BAR-205-BR2-7



2 panel
3/4 oval lite oak
BAR-302-BR2-2V



2 panel 3/4 oval lite
mahogany
BRM-30-BR22-2V



3 panel 1/2 camber-
top lite oak
BAR-412-BR2-3



1 panel
3/4 lite oak
BARSL-153-BR21



1 panel
3/4 lite mahogany
BRMSL-153-BR2-1



full lite
oak
BARSL-853-BR2-X



elliptical transom E-900



rectangle transom T-900



shoulder transom S-900



half circle transom C38-900

BAR Barrington® Oak Textured **BRM** Barrington® Mahogany Textured

Barrington® Doors with CB1 Glass

6'8"



2 panel
3/4 oval lite oak
BAR-303-CB1-2V



2 panel 3/4 oval lite
mahogany
BRM-303-CB1-2V



2 panel
3/4 rectangle lite oak
BAR-405-CB1-2



2 panel 3/4 rectangle
lite mahogany
BRM-405-CB1-2



6'8"



3 panel 1/2 camber-
top lite oak
BAR-411-CB1-3



1 panel
3/4 lite oak
BARSL-451-CB1-1



1 panel
3/4 lite mahogany
BRMSL-451-CB1-1

CB1 Glass
clear beveled

Clear transoms also available



BARRINGTON® MAHOGANY TEXTURED with CB1 glass – door **BRM-303-CB1-2V** – sidelites **BRMSL-451-CB1-1**

Craftsman fiberglass



BARRINGTON® CRAFTSMAN OAK TEXTURED with CBT glass - door BRC-226-CBT-3

Mission Styled Doors

Unmatched craftsmanship for an authentic wood look

Barrington® Craftsman Doors with BS1 Glass

6'8"



3 panel oak clear*
glass & optional dentil
shelf
BRC-226-BS1-3



3 panel mahogany
clear* glass & optional
dentil shelf
BCM-226-BS1-3



1 panel oak
clear* glass
BRCSL-610-BS1-1



1 panel mahogany
clear* glass
BCMSL-610-BS1-1

Authentic Woodgrain Texture

- composite door surface replicates an authentic mahogany or oak door appearance
- features Masonite's variable depth, realistic, woodgrain texture
- finishes easily and beautifully

Oversized Lock Block

- lock area is reinforced to accommodate premium door hardware

Stain-Grade Matching Hardwood Stiles

- assembled with true square-edge construction

Profile Alignment

- recessed panels align perfectly with glass placement
- Shaker sticking and recessed flat panels replicate a true Mission design

Custom Glazing


- glass is integrated into door design — creating a simple, clean Mission style
- flat casing for authentic craftsman look (CBT & CBH)

Optional Dentil Shelves & SDL Lite Kits

- customize the door style with dentil shelf or simulated divided lite kits


Other Available Glass Options:

BC4 Glass



rectangular transom T-366

BC5 Glass



shoulder transom S-315




rectangular transom T-315

CBT Glass



Clear transoms also available

CBH Glass



*Upgrade clear glass to Low-E and argon-filled (LEA) to increase thermal performance and savings.

Sierra® & Flagstaff®

Mahogany Texture

- fiberglass facing with beautiful Masonite mahogany texture

Oversized Lock Block

- lock area is reinforced to accommodate premium door hardware

Stain-Grade Matching Mahogany Stiles

- finished with true square-edge construction

Factory-Glazed Sidelites

- yields wider glass and narrower stiles and rails without unsightly screw plugs



Southwestern Inspired with
a Rustic Flair Design

**Gentle arches & soft planking
lines create an extraordinary look.**

fiberglass

BSP Barrington® Sierra® Plank **BSN** Barrington® Sierra® No Plank **BFS** Barrington Flagstaff®

Barrington® Sierra® & Flagstaff®

6'8"



Sierra®
2 panel plank
camber-top
BSP-2P



Sierra®
2 panel
camber-top
BSN-2CT



Sierra®
2 panel plank camber-
top arch-top
BSP-2R



Sierra®
2 panel camber-top
arch-top
BSN-2R



Sierra®
1 panel plank
camber-top
BSP-1



Sierra®
1 panel plank camber-
top arch-top
BSP-1R



Flagstaff®
plank
BFS-P

8'0"



Sierra®
2 panel
plank camber-top
BSP-2P



Sierra®
2 panel
camber-top
BSN-2CT



Sierra®
2 panel plank camber-
top arch-top
BSP-2R



Sierra®
2 panel camber-top
arch-top
BSN-2R



Sierra®
1 panel
plank camber-top
BSP-1



Sierra®
1 panel plank camber-
top arch-top
BSP-1R



Flagstaff®
plank
BFS-P

8'0"

6'8"



Sierra®
BR2
full sidelite
BSNSL-154-BR2-X



Sierra®
BR3
full sidelite
BSNSL-154-BR3-X



Sierra® clear*
glass full
sidelite
BSNSL-154-BS1-X



Sierra® Iron
Springs® glass
full sidelite
BSNSL-154-918-X



Sierra® Pear
glass full
sidelite
BSNSL-154-116-X



Sierra®
BR2
full sidelite
BSNSL-853-BR2-X



Sierra®
BR3
full sidelite
BSNSL-853-BR3-X



Sierra® clear*
glass full
sidelite
BSNSL-853-BS1-X



Sierra® Iron
Springs® glass
full sidelite
BSNSL-853-918-X




Sierra® Pear
glass full
sidelite
BSNSL-853-116-X

*Upgrade BS1 clear glass to Low-E and argon-filled (LEA) to increase thermal performance and savings.

Premium Woodgrain fiberglass

MAHOGANY



BELLEVILLE® HOLLISTER® MAHOGANY TEXTURED with Alston® glass - BMT-404-338-1 - sidelites BMTSL-450-338-1

Make it great with your choice of glass

**A great combination of real wood door appearance
with the long-lasting performance of fiberglass.**

100s OF CUSTOMIZABLE DOOR PANEL & GLASS OPTIONS

Belleville® Mahogany Textured

6'8"



Hollister®
2 panel mahogany
BMT-2



Cheyenne® 2 panel
plank camber-top
mahogany
BMT-2P*



6 panel mahogany
BMT-6



8 panel Parliament
mahogany
BMT-8



2 panel
universal
mahogany
BMTSL-2



flush
mahogany
BMTSL-X

8'0"



6 panel mahogany
BMT-6



Hollister®
2 panel mahogany
BMT-2



2 panel universal
mahogany
BMTSL-2

* Available in beige color fiberglass only.

BMT Belleville® Mahogany Textured



BMT



BLT



BFT

Real Wood Appearance

- premium variable-depth oak, fir or ribbon-striped mahogany grain textures create the look of natural wood
- finishes easily and beautifully

High-Definition Profile Panels

- adds architectural interest and elegance

Large Reinforced Lock Block


- provides added strength and security for door hardware

True Square-Edge Construction

- creates the most authentic wood door appearance

Stain-Grade Matching Mahogany Stiles

- a premium feature on our Belleville® mahogany line



BELLEVILLE® MAHOGANY TEXTURED with Panama® glass - door BMT-203-725-7

Premium Woodgrain fiberglass

OAK & FIR



Belleville® Oak Textured

6'8"



flush oak
BLT-X



1 panel arch oak
BLT-1



2 panel square-top
oak
BLT-2ST



Craftsman 2 panel
oak & optional dentil
shelf
BLT-2C



3 panel arch-top oak
BLT-3



4 panel blank-top
oak
BLT-4BT



4 panel New England
oak
BLT-4NE

6'8"



6 panel blank-top
oak
BLT-6BT



6 panel oak
BLT-6



6 panel camber-top
oak
BLT-6CT



8 panel Parliament
oak
BLT-8



2 panel universal
oak
BLTSL-2



Craftsman
1 panel oak
BLTSL-1C

8'0"



flush oak
BLT-X



2 panel oak
BLT-2ST



6 panel oak
BLT-6



8 panel Parliament
oak
BLT-8



2 panel universal
oak
BLTSL-2

BLT Belleville® Oak Textured BFT Belleville® Fir Textured



BELLEVILLE® CRAFTSMAN FIR TEXTURED with Naples® glass and applied dentil shelf - door BFT-215-366-2

Real Wood Appearance

- premium deep, straight grain texture provides a true fir grain wood look
- finishes easily and beautifully

True Square-Edge Construction

- creates the most authentic wood door appearance

High Definition Profile Panels

- adds architectural interest and elegance

Belleville® Fir Textured



Craftsman 2 panel
fir & optional
dentil shelf
BFT-2C



Hollister®
2 panel fir
BFT-2



6 panel fir
BFT-6



2 panel
universal
fir
BFTSL-2



Craftsman
1 panel fir
BFTSL-1C

Premium Smooth fiberglass

High-Performance Smooth Surface

- ideal for painting and will not rust or dent

High-Definition Panel Profile

- adds architectural appeal and elegance

Square-Edge Construction

- provides an authentic wood door appearance

Reinforced Lock Block

- provides strength and security for door hardware

Rot-Resistant Bottom Rails

- high-quality composite bottom rails are rot and corrosion resistant




High
Performance
Fiberglass

High-definition profiles
capture the beauty and
elegance of real wood.

Belleville® Smooth

6'8"




flush
BLS-X



2 panel square-top
BLS-2ST



2 panel roman
BLS-2R* **new**



Cheyenne® 2 panel plank
cambertop
BLS-2P



4 panel New England
BLS-4NE



6 panel blank-top
BLS-6BT




6 panel
BLS-6



6 panel camber-top
BLS-6CT

8'0"



flush
BLS-X



2 panel square-top
BLS-2ST



2 panel roman
BLS-2R* **new**



Cheyenne® 2 panel plank
cambertop
BLS-2P

*Bottom rail meets accessibility requirements.

100s OF CUSTOMIZABLE DOOR PANEL & GLASS OPTIONS



Hollister® 2 panel
BLS-2



Craftsman 2 panel &
optional dentil shelf
BLS-2C




3 panel arch-top
BLS-3



4 panel blank-top
BLS-4BT




8 panel Parliament
BLS-8



2 panel universal
BLSSL-2



Craftsman
1 panel
BLSSL-1C



flush
BLSSL-X



Hollister® 2 panel
BLS-2



6 panel
BLS-6



8 panel Parliament
BLS-8



2 panel universal
BLSSL-2

BLS Belleville® Smooth



BELLEVILLE® SMOOTH with Iron Springs® glass - door BLS-122-918-X

Oakcraft[®] fiberglass



OAKCRAFT[®] with Cuzco[®] glass – door OAK-106-364-2 – sidelites OAKSL-129-364-1

Standard Oak Grain Look

Enjoy an economical option with low maintenance.

100s OF CUSTOMIZABLE DOOR PANEL & GLASS OPTIONS

Oakcraft®

6'8"



flush
OAK-X



3 panel arch-top
OAK-3



4 panel blank-top
OAK-4BT



4 panel New England
OAK-4NE


6'8"



6 panel
OAK-6



9 panel
OAK-9



flush
OAKSL-X



1 panel
OAKSL-1



1 panel with
3/4 life cutout
OAKSL-1

8'0"



flush
OAK-X



6 panel
OAK-6



flush
OAKSL-X



1 panel
OAKSL-1

High-Performance Fiberglass

- proprietary door facings are specially engineered to provide maximum protection and durability
- adds architectural appeal and elegance

Square-Edge Construction

- provides an authentic wood door appearance

Reinforced Lock Block

- provides strength and security for door hardware

Rot-Resistant Bottom Rails

- high-quality composite bottom rails are rot and corrosion resistant

Oakcraft® 3 panel arch-top with Woodbridge® glass - door OAK-304-443-3



OAK Oakcraft®

Premium Steel

Masonite Steel doors feature high-definition decorative panel profiles that closely replicate the appearance of a high-end wood door with the ultimate in security. They truly make a statement with the addition of Masonite's glass inserts for a grand entrance.



MASONITE® STA-TRU® HD with Kordella® glass – door SHD-404-686-1 – sidelites SHDSL-450-686-1

Steel-Edge

STA-TRU® HD LIMITED 20 YEAR WARRANTY
MASONITE® HD LIMITED 15 YEAR WARRANTY

Wood-Edge

STA-TRU® HD LIMITED 20 YEAR WARRANTY
MASONITE® HD LIMITED 5 YEAR WARRANTY
MASONITE® UTILITY LIMITED 1 YEAR WARRANTY

Standard features for steel-edge & wood-edge

- 1 **High-Definition Panel Profile**
 - creates excellent shadow lines and distinct panel designs
- 2 **Internal Blocking**
 - lock area is reinforced to provide solid mounting surface
- 3 **Two Finish Options**
 - Masonite® HD features a baked-on primer for a more durable finish
 - Sta-Tru® HD has a prefinished white surface (no initial finishing required on door panel)
- 4 **Rot-Resistant Bottom Rail**
 - high-performance composite material is utilized on all bottom rails

Steel-Edge features

- 5 **Interlocking Steel-Edge**
 - has six 90° steel bends in each edge to ensure stability and resist warping
- 6 **Square-Edge Design**
 - wood door appearance
- 7 **Vinyl Extrusion**
 - locks facings together and provides an insulated thermal barrier
- 8 **Steel Reinforcements**
 - hinges are flush mounted into steel reinforcements to help prevent hinge sag
 - 90-minute fire label available (opaque doors only)

Wood-Edge features

- 9 **Engineered Construction**
 - finger-jointed hinge stile
 - laminated lumber lock stile
- 10 **Interlocking Design**
 - grooved stiles add strength and structural rigidity
 - steel facings wrap over stiles with a 'J' bend
 - 20-minute fire label available (opaque doors only)




High Definition Steel

High-Definition profiles provide curb appeal and durability.

Sta-Tru® & Masonite High-Definition Steel Designs



Masonite Utility Steel Designs



SHD Sta-Tru® High-Definition
Prefinished Steel


MHD Masonite®
High-Definition Steel

MUS Masonite® Utility Steel

Door images shown in white
can be customized with a
wide variety of paint colors.

Q1 Available Q1 2014

Masonite® HD Steel 4 panel
New England - door MHD-4NE



Masonite® HD Steel 9 panel - door MHD-9



Steel security options

SECURITY DOOR



Turnkey Fortress.

3 Locks in 1.

- Triple locking protection with high-impact resilience
- Theft protection — insurance deductible up to \$1,500*
- Door system includes door, frame and handleset options

Three latches secure the door at multiple locations



Heavy-duty lock mechanism is consumer friendly with a 1/4-turn deadbolt lock indicator




All latches are operated by a single lever. Deadbolt is independently engaged.




*Masonite will cover the deductible on your homeowners insurance up to \$1,500 if entry is gained due to a failure of a properly locked and installed entry door system.

handleset options

Monaco Series*



Sapphire Series*



*Available Finishes: satin nickel, antique black

Shock-Absorbing Composite Jambs

Our composite jambs are designed to naturally absorb shock by flexing and not splintering when forces are applied.

Opaque/No Glass

Masonite's security door system is based on a steel door without glass, offering the highest resistance to intrusion, impact and ultimate privacy.





ENERGY STAR®

ENERGY STAR is a program developed by the U.S Environmental Protection Agency and the U.S. Department of Energy. The goal of the program is to protect the environment and save you money by encouraging energy efficient products, services, and practices. To that end, Masonite is proud to produce a wide variety of door and glass combinations that ensure our products can be used as part of an ENERGY STAR qualified assembled door system.

Masonite doors and sidelites include a premium polyurethane foam core that insulates up to 5 times better than wood. Our triple pane decorative glass with coming creates an excellent insulator against the cold in the winter and the heat of summer. A properly installed ENERGY STAR qualified door system can save you money all year.

Our NFRC certified door systems may qualify for the ENERGY STAR program. Although other criteria exist for eligibility, including U-Factor and Solar Heat Gain Coefficients, use the charts below as a general guideline for which Masonite products may qualify. For further information, see our website at: www.masonite.com.

1 U-Factor: Measures the rate of heat transfer through a product. It considers all elements of an assembly including conductivity, air flow, and glass emissivity. A lower U-Factor indicates a better insulating product.

2 SHGC (Solar Heat Gain Coefficient): Measures the amount of energy that passes through glass from the sun, creating additional heat. The lower the SHGC, the better it blocks solar heat.

potential qualifying Masonite products*

		Glazing Level				
						
Glass Type		Opaque	1/4 Lite	1/2 Lite	3/4 Lite	Full Lite
Wood-Edge Steel Doors	Clear 1 1/2" IG	0.13† U-Factor	✓	✓	✓	
	Clear 1 1/2" IG E Grids		✓	✓	✓	
	Low-E 1 1/2" IG Surface #2		✓	✓	✓	✓
	Low-E 1 1/2" IG E Surface #2 Grids		✓	✓	✓	✓
	Clear 1" IG		✓	✓	✓	
	Clear 1" IG Int Grids		✓	✓	✓	
	Low-E 1" IG Surface #2		✓	✓	✓	✓
	Low-E 1" IG Surface #2 (Grids)		✓	✓	✓	✓
	Triple Pane Deco IG w/Caming		✓	✓	✓	✓

†0.13U-Factor for opaque doors only

Fiberglass Doors	Clear 1 1/2" IG	0.15† U-Factor	✓		✓	
	Clear 1 1/2" IG E Grids		✓		✓	
	Low-E 1 1/2" IG		✓	✓	✓	
	Low-E 1 1/2" IG E Grids		✓	✓	✓	
	Clear 1" IG		✓	✓	✓	
	Clear 1" IG Int Grids		✓	✓	✓	
	Low-E Surface #2 1" IG		✓	✓	✓	✓
	Low-E Surface #2 1" IG E Grids		✓	✓	✓	✓
	Triple Pane Deco IG w/Caming		✓	✓	✓	✓

†U-Factor for opaque doors only

"IG" = Insulated Glass

*Please verify qualification with the NFRC performance label affixed to the door.

ENERGY STAR® product performance criteria

Glazing Level	U-Factor ¹	SHGC ²
ALL	≤ 0.21	No Rating
≤ 1/2-Lite	≤ 0.27	≤ 0.30
> 1/2-Lite	≤ 0.32	≤ 0.30

¹ Btu/h.ft.2 °F

² Fraction of incident solar radiations

Visit masonite.com
for more information.



BELLEVILLE® HOLLISTER® SMOOTH with Pear glass – door BLS-122-116-1 – sidelites BLSSL-152-116-1 with 15L & 5L applied SDL kit



transforming light into brilliance

Decorative glass embraces natural light and transforms any entryway into a vision of beauty without compromise. So add charm and sophistication to your home's entry, inside and out, with one of our superbly crafted glass designs offered in a variety of configurations. The choice is yours.

Masonite® codes defined



SL = sidelite

BLTSL-450-817-1

BLT - 106 - 817 - 1

door acronym glass shape & size glass design & coming # visible door panels

2236 = glass dimensions 22" x 36"

BLT-106-817-1
2236

GLASS LITE SIZE & SHAPE



Rectangle Lite



Camber-Top Lite



Round-Top Lite



Oval Lite



Fan Lite




Camber-Top Fan Lite


106	22" x 36"	Rectangle	215	22" x 16"	Rectangle
107	22" x 37-1/2"	Camber-Top	217	22" x 17"	Rectangle
122	22" x 64"	Rectangle	228	22" x 10"	Rectangle
129	8" x 36"	Rectangle	300	20" x 57"	Oval
135	22" x 10"	Fan	304	16" x 40"	Oval
136	7-1/2" x 18-1/2"	Rectangle	306	15" x 55"	Oval
137	22" x 10"	Camber-Top Fan	404	22" x 48"	Rectangle
151	8" x 64"	Rectangle	450	8" x 48"	Rectangle
152	7" x 64"	Rectangle	615	8" x 16"	Rectangle
201	8" x 58"	Round-Top	810	22" x 80"	Rectangle
203	8" x 42"	Round-Top	852	8" x 80"	Rectangle

VISIBLE DOOR PANELS

Sample selection of door panels shown




X




1



2



3



4




6




7


DOOR ACRONYM



BMT



BLT




BFT

BMT Belleville® Mahogany Textured

BLT Belleville® Oak Textured

BFT Belleville® Fir Textured



BLS



OAK



SHD

BLS Belleville® Smooth

OAK Oakcraft®

SHD Sta-Tru® HD Steel



MHD

MHD Masonite® HD Steel

raise your glass

Elevate the look of your entry door with Masonite's extensive line of distinctive glass styles. Explore dozens of textures, coming options, sizes, and styles in our decorative glass collection, or opt for the elegant simplicity of clear glass with internal blinds, venting inserts, grilles or simulated divided lites (SDLs).

From the elegant textured diamonds of Alston® to the contemporary configurations of Zavalla®, Masonite decorative glass inserts will raise your entryway to a whole new level of sophistication.

Alston® 338.....	40	Panama® 724•725.....	70
Aria® 455.....	42	Pear 116.....	72
Aurora™ 207.....	44	Quattro® 957.....	74
Brise® 269.....	46	Rockland® 566.....	76
Chord 115.....	48	Sienna® 817.....	78
Cuzco® 364.....	50	Woodbridge® 442•443.....	80
Element® 328.....	52	Zavalla® 537.....	82
Georgian™ 515•517•518.....	54		
Glace® 430•433.....	56	CLEAR	
Iron Springs® 918.....	58	Internal Blinds.....	84
Kordella® 686.....	60	Venting Inserts.....	84
Madrid® 900.....	62	External Grille Inserts.....	84
Marquise® 777•778•779.....	64	One Lite Inserts.....	85
Mondrian® 833.....	66	Internal Grille Inserts.....	86
Naples® 366.....	68	Simulated Divided Lites.....	87

www.masonite.com

Visit our website and be amazed how **easy** it is to create the entrance that will reflect your style.


decorative glass options



Alston®



Aria®



Aurora™



Brise®



Chord



Cuzco®



Elementi®




Georgian™




Glace®



Iron Springs®



Kordella®




Madrid®




Marquise®



Mondrian®



Naples®



Panama®



Pear



Quattro®



Rockland®



Sienna®



Woodbridge®



Zavalla®

Please note, due to the limitations of the printing process, doors and glass shown may not match exactly in color to actual product. Masonite reserves the right to make ongoing improvements and changes to existing designs. All left and right lites and camber-tops are left and right facing as viewed from the outside.

All sealed units are made with tempered safety glass and comply with the following:

ANSI Z97.1-1984
16 CFR 1201 II
CAN/CGSB-12.1M90


ALSTON[®]glass



BELLEVILLE[®] SMOOTH with Alston[®] glass - door BLS-404-338-2

	106-1	106-1P	106-2	106-3	107-1	107-1P	107-2	107-3	122-X	137-3	137-4	137-6	304-2	304-3
AB	106-338-1	106-338-1P	106-338-2	106-338-3	107-338-1	107-338-1P	107-338-2	107-338-3	122-338-X	137-338-3	137-338-4	137-338-6	304-338-2	304-338-3
BMT		•	•			•			•				•	
BLT	•		•	•			•	•	•	•	•	•		•
BFT			•						•				•	
BLS	•	•	•	•	•	•	•	•	•	•	•	•	•	•
OAK			•				•		•		•			•
SHD		•	•		•	•	•	•	•		•			•
MHD	•	•	•		•	•	•		•		•			•

														
	404-1	404-2	129-1	151-X	152-X	450-1		122-1	122-2	404-1	404-1P	404-2	151-1	450-1
AB	404-338-1	404-338-2	129-338-1	151-338-X	152-338-X	450-338-1		122-338-1	122-338-2	404-338-1	404-338-1P	404-338-2	151-338-1	450-338-1
BMT	•		•		•	•		•				•	•	•
BLT		•	•		•	•				•		•	•	•
BFT	•		•	•		•								
BLS	•	•	•		•	•		•		•	•	•	•	•
OAK		•	•		•	•						•		•
SHD	•	•	•		•	•			•			•	•	•
MHD	•	•	•		•	•			•			•	•	•



BMT
Belleville[®] Mahogany
Textured

BLT
Belleville[®] Oak Textured

BFT
Belleville[®] Fir Textured

BLS
Belleville[®] Smooth

OAK
Oakcraft[®]

SHD
Sta-Tru[®] HD Steel

MHD
Masonite[®] HD Steel




T-338

Door images shown in white are available in a variety of textures and materials as noted by the legend.

6'8"



106-338-1 2236



106-338-1P 2236



106-338-2 2236



106-338-3 2236



107-338-1 2237
camber-top




107-338-1P 2237
camber-top



107-338-2 2237
camber-top



107-338-3 2237
camber-top



122-338-X 2264



137-338-3 2210
camber-top



137-338-4 2210
camber-top



137-338-6 2210
camber-top



304-338-2 1640
oval



304-338-3 1640
oval



404-338-1 2248



404-338-2 2248



129-338-1 836



152-338-X 764



450-338-1 848

The Alston family features tempered surf glass. This unique art glass further enhances the privacy and elegance of this series.



clear beveled glass

granite glass

antique black caming


tempered surf glass (inside facing)



LEAST OBSCURE 1 2 3 4 5 6 7 8 9 MOST OBSCURE



ARIA[®] glass



BELLEVILLE[®] SMOOTH with Aria[®] glass – door BLS-106-455-1 sidelites – BLSSL-129-455-1

	"8,9											"0,8						
		106-1	106-1P	106-2	106-3	122-X	404-1	404-2	129-1	152-X	450-1		122-1	122-2	404-1	404-1P	404-2	450-1
SW	106-455-1	106-455-1P	106-455-2	106-455-3	122-455-X	404-455-1	404-455-2	129-455-1	152-455-X	450-455-1		122-455-1	122-455-2	404-455-1	404-455-1P	404-455-2	450-455-1	
BMT		•	•		•	•		•	•	•		•					•	
BLT	•		•	•	•		•	•	•	•				•		•	•	
BFT			•		•	•		•		•								
BLS	•	•	•	•	•	•	•	•	•	•		•		•	•	•	•	
OAK			•		•		•	•	•	•						•	•	
SHD		•	•		•	•	•	•	•	•			•			•	•	
MHD	•	•	•		•	•	•	•	•	•			•			•	•	

BMT
Belleville[®] Mahogany
Textured

BLT
Belleville[®] Oak Textured

BFT
Belleville[®] Fir Textured

BLS
Belleville[®] Smooth

OAK
Oakcraft[®]

SHD
Sta-Tru[®] HD Steel

MHD
Masonite[®] HD Steel

Door images shown in white are available in a variety of textures and materials as noted by the legend.

6'8"



106-455-1 2236



106-455-1P 2236



106-455-2 2236



106-455-3 2236



122-455-X 2264



404-455-1 2248



404-455-2 2248



129-455-1 836




152-455-X 764



450-455-1 848

Featuring SpectraWeld® technology, a unique system utilizing revolutionary composite material that bonds to the glass and simulates caming.


Aria features a full panel of textured glass which provides a high level of obscurity and diffuses the appearance of the SpectraWeld from the inside of the home.



charcoal SpectraWeld®

grey tinted glass

tempered oceana glass (inside facing)



AURORA™ glass



BELLEVILLE® MAHOGANY TEXTURED with Aurora™ glass – door BMT-122-207-X – sidelites BMTSL-152-207-X – transom T-207

	"8.9																"10.8						
	106-1	106-1P	106-2	106-3	122-X	203-7	300-X	304-2	304-3	404-1	404-2	129-1	151-X	152-X	450-1		122-1	122-2	404-1	404-1P	404-2	151-1	450-1
P	106-207-1	106-207-1P	106-207-2	106-207-3	122-207-X	203-207-7	300-207-X	304-207-2	304-207-3	404-207-1	404-207-2	129-207-1	151-207-X	152-207-X	450-207-1		122-207-1	122-207-2	404-207-1	404-207-1P	404-207-2	151-207-1	450-207-1
BMT		•	•		•	•		•		•				•	•		•				•	•	•
BLT	•		•	•	•	•	•		•		•	•		•	•			•			•	•	•
BFT			•		•			•		•		•	•		•				•				
BLS	•	•	•	•	•	•	•	•	•	•	•	•		•	•		•		•	•	•	•	•
OAK			•		•		•		•		•	•		•	•						•		•
SHD		•	•		•	•	•		•	•	•	•		•	•		•				•	•	•
MHD	•	•	•		•	•	•		•	•	•	•		•	•		•				•	•	•

BMT
Belleville® Mahogany
Textured

BLT
Belleville® Oak Textured

BFT
Belleville® Fir Textured

BLS
Belleville® Smooth

OAK
Oakcraft®

SHD
Sta-Tru® HD Steel

MHD
Masonite® HD Steel



T-207

Door images shown in white are available in a variety of textures and materials as noted by the legend.

6'8"



106-207-1 2236



106-207-1P 2236



106-207-2 2236



106-207-3 2236




122-207-X 2264



203-207-7 842
round-top



300-207-X 2057
oval



304-207-2 1640
oval



304-207-3 1640
oval



404-207-1 2248



404-207-2 2248




129-207-1 836



152-207-X 764



450-207-1 848



glue chip
beveled glass
platinum coming
granite glass
aqua glass
zipper bevel glass



LEAST
OBSCURE 1 2 3 4 5 6 7 8 9 MOST
OBSCURE



BRISE® glass



8'0" HD STEEL with Brise® glass - door SHD-404-269-2

	8'9"										8'0"			
	106-1	106-1P	106-2	106-3	304-2	304-3	404-1	404-2	129-1	450-1	404-1	404-1P	404-2	450-1
SC	106-269-1	106-269-1P	106-269-2	106-269-3	304-269-2	304-269-3	404-269-1	404-269-2	129-269-1	450-269-1	404-269-1	404-269-1P	404-269-2	450-269-1
BMT		•	•		•		•		•	•			•	•
BLT	•		•	•		•		•	•	•	•		•	•
BFT			•		•		•		•	•				
BLS	•	•	•	•	•	•	•	•	•	•	•	•	•	•
OAK			•			•		•	•	•			•	•
SHD		•	•			•	•	•	•	•			•	•
MHD	•	•	•			•	•	•	•	•			•	•

BMT
Belleville® Mahogany
Textured

BLT
Belleville® Oak Textured

BFT
Belleville® Fir Textured

BLS
Belleville® Smooth


OAK
Oakcraft®

SHD
Sta-Tru® HD Steel


MHD
Masonite® HD Steel

Door images shown in white are available in a variety of textures and materials as noted by the legend.


6'8"



106-269-1 2236




106-269-1P 2236




106-269-2 2236



106-269-3 2236




404-269-1 2248



404-269-2 2248



304-269-2 1640
oval



304-269-3 1640
oval



129-269-1 836



450-269-1 848




Brise is an opaque, silkscreen design with fluid lines that create an elegant look.

charcoal etch

clear glass

white etch



LEAST OBSCURE 1 2 3 4 5 6 7 8 9 MOST OBSCURE







CHORD glass



BELLEVILLE® CRAFTSMAN OAK with Chord glass and applied dentil shelf – door BLT-215-115-2

	"8.9															"0.8							
	106-1	106-1P	106-2	106-3	122-X	215-2	228-3	228-4	228-6	404-1	404-2	129-1	151-X	152-X	450-1	615-1	122-1	122-2	404-1	404-1P	404-2	151-1	450-1
T	106-115-1	106-115-1P	106-115-2	106-115-3	122-115-X	215-115-2	228-115-3	228-115-4	228-115-6	404-115-1	404-115-2	129-115-1	151-115-X	152-115-X	450-115-1	615-115-1	122-115-1	122-115-2	404-115-1	404-115-1P	404-115-2	151-115-1	450-115-1
BMT		•	•		•			•		•		•		•	•		•				•	•	•
BLT	•		•	•	•	•	•	•	•		•	•		•	•	•			•		•	•	•
BFT			•		•	•		•		•		•	•		•	•							
BLS	•	•	•	•	•		•	•	•	•	•			•	•	•	•		•	•	•	•	•
OAK			•		•			•			•	•		•	•						•		•
SHD		•	•		•	•		•		•	•	•		•	•	•		•			•	•	•
MHD	•	•	•		•	•		•		•	•	•		•	•	•		•			•	•	•




Door images shown in white are available in a variety of textures and materials as noted by the legend.

6'8"



106-115-1 2236



106-115-1P 2236



106-115-2 2236



106-115-3 2236



122-115-X 2264



215-115-2 2216
shown with optional
dentil shelf




228-115-3 2210




228-115-4 2210



228-115-6 2210



404-115-1 2248



404-115-2 2248



129-115-1 836



152-115-X 764



450-115-1 848



615-115-1 816

An organic
linear-styled
glass that
obscures the
view while
allowing natural
light to flow into
the home.

Chord features
an energy
saving Low-E
coating on
surface #2.



Your Glass



Your SDL Kit



See page 89 for more configurations



LEAST
OBSCURE 1 2 3 4 5 6 7 8 9 MOST
OBSCURE





BELLEVILLE® SMOOTH with Cuzco® glass - BLS-122-364-X - sidelites BLSSL-152-364-X

															"0,8"							
AB	106-364-1	106-364-1P	106-364-2	106-364-3	122-364-X	228-364-3	228-364-4	228-364-6	404-364-1	404-364-2	129-364-1	151-364-X	152-364-X	450-364-1		122-364-1	122-364-2	404-364-1	404-364-1P	404-364-2	151-338-1	450-364-1
BMT		•	•		•		•		•		•		•	•		•				•	•	•
BLT	•		•	•	•	•	•	•		•	•		•	•				•		•	•	•
BFT			•		•		•		•		•	•		•								
BLS	•	•	•	•	•	•	•	•	•	•	•		•	•		•		•	•	•	•	•
OAK			•		•		•			•	•		•	•						•		•
SHD		•	•		•		•		•	•	•		•	•			•			•	•	•
MHD	•	•	•		•		•		•	•	•		•	•			•			•	•	•

BMT
Belleville® Mahogany
Textured

BLT
Belleville® Oak Textured

BFT
Belleville® Fir Textured

BLS
Belleville® Smooth


OAK
Oakcraft®

SHD
Sta-Tru® HD Steel


MHD
Masonite® HD Steel

Door images shown in white are available in a variety of textures and materials as noted by the legend.


6'8"




106-364-1 2236



106-364-1P 2236



106-364-2 2236



106-364-3 2236



122-364-X 2264




228-364-3 2210



228-364-4 2210



228-364-6 2210



404-364-1 2248



404-364-2 2248



129-364-1 836



152-364-X 764



450-364-1 848

Modern lines and subtle textural layering give Cuzco a fresh take on decorative glass design.

Cuzco features an energy saving Low-E coating on surface #2.



dark gray
beveled glass
seed glass
antique black caming
pear glass
dark gray glass
mistlite glass
clear beveled glass




LEAST
OBSCURE 1 2 3 4 5 6 7 8 9 MOST
OBSCURE



ELEMENT[®]glass



BELLEVILLE[®] OAK TEXTURED with Element[®] glass – door BLT-404-328-2 – sidelites BLTSL-450-328-1 – transom T-328

	              															
	106-1	106-1P	106-2	106-3	107-1	107-1P	107-2	107-3	122-X	137-3	137-4	137-6	215-2	217-2	404-1	404-2
AB	106-328-1	106-328-1P	106-328-2	106-328-3	107-328-1	107-328-1P	107-328-2	107-328-3	122-328-X	137-328-3	137-328-4	137-328-6	215-328-2	217-328-2	404-328-1	404-328-2
BMT		•	•			•			•						•	
BLT	•		•	•			•	•	•	•	•	•	•			•
BFT			•						•				•		•	
BLS	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•
OAK			•				•		•		•					•
SHD		•	•		•	•	•		•		•			•	•	•
MHD	•	•	•		•	•	•		•		•		•	•	•	•

	"8,9"					"0,8"							
													
	129-1	151-X	152-X	450-1	615-1	122-1	122-2	404-1	404-1P	404-2	151-1	450-1	
AB	129-328-1	151-328-X	152-328-X	450-328-1	615-328-1	122-328-1	122-328-2	404-328-1	404-328-1P	404-328-2	151-328-1	450-328-1	
BMT	•		•	•		•				•	•	•	
BLT	•		•	•	•			•		•	•	•	
BFT	•	•		•	•								
BLS	•		•	•	•	•		•	•	•	•	•	
OAK	•		•	•						•		•	
SHD	•		•	•	•		•			•	•	•	
MHD	•		•	•	•		•			•	•	•	

BMT
Belleville[®] Mahogany
Textured

BLT
Belleville[®] Oak Textured

BFT
Belleville[®] Fir Textured

BLS
Belleville[®] Smooth

OAK
Oakcraft[®]

SHD
Sta-Tru[®] HD Steel

MHD
Masonite[®] HD Steel



S-328




T-328

Door images shown in white are available in a variety of textures and materials as noted by the legend.

6'8"




106-328-1 2236



106-328-1P 2236



106-328-2 2236



106-328-3 2236



107-328-1 2237
camber-top



107-328-1P 2237
camber-top



107-328-2 2237
camber-top



107-328-3 2237
camber-top



122-328-X 2264



137-328-3 2210
camber-top



137-328-4 2210
camber-top



137-328-6 2210
camber-top



215-328-2 2216
shown with optional
dentil shelf



217-328-2 2217



404-328-1 2248



404-328-2 2248



129-328-1 836



152-328-X 764



450-328-1 848



615-328-1 816



Q1 Available Q1 2014

*Profile for 217 lite frame is unique. Please specify 77DDP152-03280K-SQS full sidelites to match.

granite
beveled glass
clear
beveled glass
granite glass
antique black
caming



LEAST
OBSCURE 1 2 3 4 5 6 7 8 9 MOST
OBSCURE



GEORGIAN™ glass



HD STEEL with Georgian™ glass – door SHD-304-517-X – sidelites SHDSL-152-517-X

	               															
	106-1	106-1P	106-2	106-3	107-1	107-1P	107-2	107-3	122-X	136-8	300-X	304-2	304-3	306-1	404-1	404-2
B	106-515-1	106-515-1P	106-515-2	106-515-3	107-515-1	107-515-1P	107-515-2	107-515-3	122-515-X	136-515-8	300-515-X	304-515-2	304-515-3	306-515-1	404-515-1	404-515-2
P	106-517-1	106-517-1P	106-517-2	106-517-3	107-517-1	107-517-1P	107-517-2	107-517-3	122-517-X	136-517-8	300-517-X	304-517-2	304-517-3	306-517-1	404-517-1	404-517-2
AB	106-518-1	106-518-1P	106-518-2	106-518-3												
BMT		•	•			•			•			•			•	
BLT	•		•	•				•	•		•		•	•		•
BFT			•						•			•			•	
BLS	•	•	•	•	•	•	•	•	•		•	•	•		•	•
OAK			•						•	•	•		•			•
SHD		•	•		•	•	•		•	•	•		•	•	•	•
MHD	•	•	•		•	•	•		•	•	•		•	•	•	•

	   				       							
	129-1	151-X	152-X	450-1	122-1	122-2	306-2	404-1	404-1P	404-2	151-1	450-1
B	129-515-1	151-515-X	152-515-X	450-515-1	122-515-1	122-515-2	306-515-2	404-515-1	404-515-1P	404-515-2	151-515-1	450-515-1
P	129-517-1	151-517-X	152-517-X	450-517-1	122-517-1	122-517-2	306-517-2	404-517-1	404-517-1P	404-517-2	151-517-1	450-517-1
AB	129-518-1											
BMT	•		•	•	•		•			•	•	•
BLT	•		•	•				•		•	•	•
BFT	•	•		•								
BLS	•		•	•	•		•	•	•	•	•	•
OAK	•		•	•						•		•
SHD	•		•	•		•				•	•	•
MHD	•		•	•		•				•	•	•

BMT
Belleville® Mahogany
Textured

BLT
Belleville® Oak Textured

BFT
Belleville® Fir Textured

BLS
Belleville® Smooth

OAK
Oakcraft®

SHD
Sta-Tru® HD Steel

MHD
Masonite® HD Steel



C38-645, C38-646, C38-647



C-645, C-646, C-647



S-645, S-646, S-647



E-645, E-646, E-647



T-645, T-646, T-647

Door images shown in white are available in a variety of textures and materials as noted by the legend.

6'8"



106-517-1 2236



106-517-1P 2236



106-517-2 2236



106-517-3 2236



107-517-1 2237
camber-top



107-517-1P 2237
camber-top



107-517-2 2237
camber-top



107-517-3 2237
camber-top



122-517-X 2264



136-517-8 718



300-517-X 2057
oval



304-517-2 1640
oval



304-517-3 1640
oval



306-517-1 1555
oval



404-517-1 2248



404-517-2 2248



129-517-1 836



152-517-X 764



450-517-1 848



Glass shown with platinum caming.
Brass & antique black also available.

glue chip glass
clear beveled glass
platinum caming





LEAST
OBSCURE 1 2 3 4 5 6 7 8 9 MOST
OBSCURE



GLACE® glass



BELLEVILLE® OAK TEXTURED with Glace® glass - door BLT-106-430-3

													
	106-1	106-1P	106-2	106-3	122-X	135-4	135-6	129-1	151-X	152-X	122-1	122-2	151-1
B	106-430-1	106-430-1P	106-430-2	106-430-3	122-430-X	135-430-4	135-430-6	129-430-1	151-430-X	152-430-X	122-430-1	122-430-2	151-430-1
P	106-433-1	106-433-1P	106-433-2	106-433-3	122-433-X	135-433-4	135-433-6	129-433-1	151-433-X	152-433-X	122-433-1	122-433-2	151-433-1
BMT		•	•		•			•		•	•		•
BLT	•		•	•	•	•	•	•		•			•
BFT			•		•			•	•				
BLS	•	•	•	•	•	•	•	•		•	•		•
OAK			•		•	•		•		•			
SHD		•	•		•	•		•		•		•	•
MHD	•	•	•		•	•		•		•		•	•

BMT
Belleville® Mahogany
Textured



BLT
Belleville® Oak Textured



BFT
Belleville® Fir Textured



BLS
Belleville® Smooth



OAK
Oakcraft®



SHD
Sta-Tru® HD Steel



MHD
Masonite® HD Steel



Door images shown in white are available in a variety of textures and materials as noted by the legend.

6'8"



106-430-1 2236



106-430-1P 2236



106-430-2 2236



106-430-3 2236



122-430-X 2264



135-430-4 2210
fan



135-430-6 2210
fan



129-430-1 836



152-430-X 764



Glass shown with brass caming.
Platinum also available.

brass
caming

clear
beveled
glass



LEAST
OBSCURE 1 2 3 4 5 6 7 8 9 MOST
OBSCURE



IRON SPRINGS® glass



BELLEVILLE® HOLLISTER® FIR TEXTURED with Iron Springs® glass – door BFT-404-918-1

																					
	106-1	106-1P	106-2	106-3	122-X	404-1	404-2	129-1	151-X	152-X	450-1	122-1	122-2	404-1	404-1P	404-2	810-X	151-1	450-1	852-X	
WR	106-918-1	106-918-1P	106-918-2	106-918-3	122-918-X	404-918-1	404-918-2	129-918-1	151-918-X	152-918-X	450-918-1	122-918-1	122-918-2	404-918-1	404-918-1P	404-918-2	810-918-X	151-918-1	450-918-1	852-918-X	
BMT		•	•		•	•		•		•	•	•				•	•	•	•	•	
BLT	•		•	•	•		•	•		•	•			•		•	•	•	•	•	
BFT			•		•	•		•	•		•										
BLS	•	•	•	•	•	•	•	•		•	•	•		•	•	•	•	•	•	•	
OAK			•		•		•	•		•	•					•	•		•	•	
SHD		•	•		•	•	•	•		•	•		•			•	•	•	•	•	
MHD	•	•	•		•	•	•	•		•	•		•			•	•	•	•	•	

BMT
Belleville® Mahogany
Textured

BLT
Belleville® Oak Textured

BFT
Belleville® Fir Textured

BLS
Belleville® Smooth

OAK
Oakcraft®

SHD
Sta-Tru® HD Steel

MHD
Masonite® HD Steel

Door images shown in white are available in a variety of textures and materials as noted by the legend.

6'8"



106-918-1 2236



106-918-1P 2236



106-918-2 2236



106-918-3 2236



122-918-X 2264



404-918-1 2248



404-918-2 2248



129-918-1 836



152-918-X 764



450-918-1 848

8'0"



810-918-X 2280



852-918-X 880

Iron Springs features a full panel of textured glass which provides a high level of obscurity and diffuses the appearance of the wrought iron from the inside of the home.

Iron Springs features an energy saving Low-E coating on surface #2.



pear glass
(inside facing)

clear glass
(outside facing)

1/2" square
wrought iron



LEAST
OBSCURE 1 2 3 4 5 6 7 8 9 MOST
OBSCURE



KORDELLA® glass




BELLEVILLE® SMOOTH with Kordella® glass – door BLS-122-686-X – sidelites BLS-152-686-X


	"8.9"														"0.8"						
	106-1	106-1P	106-2	106-3	122-X	228-3	228-4	228-6	404-1	404-2	129-1	151-X	152-X	450-1	122-1	122-2	404-1	404-1P	404-2	151-1	450-1
AB	106-686-1	106-686-1P	106-686-2	106-686-3	122-686-X	228-686-3	228-686-4	228-686-6	404-686-1	404-686-2	129-686-1	151-686-X	152-686-X	450-686-1	122-686-1	122-686-2	404-686-1	404-686-1P	404-686-2	151-686-1	450-686-1
BMT		•	•		•		•		•			•		•	•	•			•	•	•
BLT	•		•	•	•	•	•	•		•	•		•	•			•		•	•	•
BFT			•		•		•		•		•	•		•							
BLS	•	•	•	•	•	•	•	•	•	•	•			•	•	•		•	•	•	•
OAK			•		•		•			•	•			•	•				•		•
SHD		•	•		•		•		•	•	•			•	•		•		•	•	•
MHD	•	•	•		•		•		•	•	•			•	•		•		•	•	•

Door images shown in white are available in a variety of textures and materials as noted by the legend.


6'8"




106-686-1 2236



106-686-1P 2236



106-686-2 2236



106-686-3 2236



122-686-X 2264




228-686-3 2210




228-686-4 2210



228-686-6 2210



404-686-1 2248



404-686-2 2248



129-686-1 836



152-686-X 764



450-686-1 848

Kordella's flowing lines and varied glass textures provide simple elegance to any home.

Kordella features an energy saving Low-E coating on surface #2.



- white etch glass
- dark gray glass
- pear glass
- seed glass
- clear beveled glass



LEAST OBSCURE 1 2 3 4 5 6 7 8 9 MOST OBSCURE





MADRID[®] glass



8'0" HD STEEL with Madrid[®] glass – door SHD-810-900-X – sidelites SHDSL-852-900-X – transom T-900

	                  																		
	106-1	106-1P	106-2	106-3	107-1	107-1P	107-2	107-3	122-X	135-4	135-6	137-3	137-4	137-6	203-7	228-3	228-4	228-6	300-X
AB	106-900-1	106-900-1P	106-900-2	106-900-3	107-900-1	107-900-1P	107-900-2	107-900-3	122-900-X	135-900-4	135-900-6	137-900-3	137-900-4	137-900-6	203-900-7	228-900-3	228-900-4	228-900-6	300-900-X
BMT		•	•			•			•						•		•		
BLT	•		•	•			•	•	•	•	•	•	•	•	•	•	•	•	•
BFT			•						•								•		
BLS	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
OAK			•				•	•	•	•			•				•		•
SHD		•	•		•	•	•		•	•			•		•		•		•
MHD	•	•	•		•	•	•		•	•			•		•		•		•

										"0,8											
AB	304-900-2	304-900-3	306-900-1	404-900-1	404-900-2	129-900-1	151-900-X	152-900-X	450-900-1		122-900-1	122-900-2	201-900-7	306-900-2	404-900-1	404-900-1P	404-900-2	810-900-X	151-900-1	450-900-1	852-900-X
BMT	•			•		•		•	•		•			•			•	•	•	•	•
BLT		•	•		•	•		•	•				•		•		•	•	•	•	•
BFT	•			•		•	•		•												
BLS	•	•		•	•	•		•	•		•		•	•	•	•	•	•	•	•	•
OAK		•			•	•		•	•								•	•		•	•
SHD		•	•	•	•	•		•	•			•					•	•	•	•	•
MHD		•	•	•	•	•		•	•			•					•	•	•	•	•

BMT
Belleville[®] Mahogany
Textured

BLT
Belleville[®] Oak Textured

BFT
Belleville[®] Fir Textured

BLS
Belleville[®] Smooth

OAK
Oakcraft[®]

SHD
Sta-Tru[®] HD Steel

MHD
Masonite[®] HD Steel



C38-900



S-900




E-900




T-900

Door images shown in white are available in a variety of textures and materials as noted by the legend.


6'8"




106-900-1 2236






106-900-1P 2236



106-900-2 2236



106-900-3 2236

107-900-1 2237
camber-top107-900-1P 2237
camber-top107-900-2 2237
camber-top107-900-3 2237
camber-top

122-900-X 2264

135-900-4 2210
fan135-900-6 2210
fan137-900-3 2210
camber-top137-900-4 2210
camber-top137-900-6 2210
camber-top203-900-7 842
round-top



228-900-3 2210



228-900-4 2210



228-900-6 2210

300-900-X 2057
oval304-900-2 1640
oval304-900-3 1640
oval306-900-1 1555
oval

404-900-1 2248



404-900-2 2248



129-900-1 836



152-900-X 764



450-900-1 848

8'0"

201-900-7 858
round-top

810-900-X 2280



852-900-X 880

grey beveled glass

clear beveled glass

antique black
caming



LEAST
OBSCURE 1 2 3 4 5 6 7 8 9 MOST
OBSCURE






MARQUISE® glass



8'0" BELLEVILLE® OAK TEXTURED with Marquise® glass – BLT-810-778-X – sidelites BLTSL-852-778-X

189																		
	106-1	106-1P	106-2	106-3	122-X	135-4	135-6	203-7	300-X	304-2	304-3	306-1	404-1	404-2	129-1	151-X	152-X	450-1
B	106-777-1	106-777-1P	106-777-2	106-777-3	122-777-X	135-777-4	135-777-6	203-777-7	300-777-X	304-777-2	304-777-3	306-777-1	404-777-1	404-777-2	129-777-1	151-777-X	152-777-X	450-777-1
P	106-778-1	106-778-1P	106-778-2	106-778-3	122-778-X	135-778-4	135-778-6	203-778-7	300-778-X	304-778-2	304-778-3	306-778-1	404-778-1	404-778-2	129-778-1	151-778-X	152-778-X	450-778-1
AB	106-779-1	106-779-1P	106-779-2	106-779-3	122-779-X				300-779-X	304-779-2	304-779-3		404-779-1	404-779-2	129-779-1	151-779-X	152-779-X	450-779-1
BMT		•	•		•			•		•			•		•		•	•
BLT	•		•	•	•	•	•	•	•		•	•		•			•	•
BFT			•		•					•			•		•	•		•
BLS	•	•	•	•	•	•	•	•	•	•	•		•	•	•		•	•
OAK			•		•	•			•		•			•	•		•	•
SHD		•	•		•	•		•	•		•	•	•	•	•		•	•
MHD	•	•	•		•	•		•	•	•	•	•	•	•	•		•	•

"0,8											
	122-1	122-2	201-7	306-2	404-1	404-1P	404-2	810-X	151-1	450-1	852-X
B	122-777-1	122-777-2	201-777-7	306-777-2	404-777-1	404-777-1P	404-777-2		151-777-1	450-777-1	
P	122-778-1	122-778-2	201-778-7	306-778-2	404-778-1	404-778-1P	404-778-2	810-778-X	151-778-1	450-778-1	852-778-X
AB	122-779-1	122-779-2			404-779-1	404-779-1P	404-779-2			450-779-1	
BMT	•			•			•	•	•	•	•
BLT			•		•		•	•	•	•	•
BFT											
BLS	•		•	•	•	•	•	•	•	•	•
OAK							•	•		•	•
SHD		•					•	•	•	•	•
MHD		•					•	•	•	•	•

BMT
Belleville® Mahogany
Textured

BLT
Belleville® Oak Textured

BFT
Belleville® Fir Textured

BLS
Belleville® Smooth

OAK
Oakcraft®

SHD
Sta-Tru® HD Steel

MHD
Masonite® HD Steel



C38-645, C38-646, C38-647



C-645, C-646, C-647



S-645, S-646, S-647



E-645, E-646, E-647



T-645, T-646, T-647




A48-777, A48-779
accent window

Door images shown in white are available in a variety of textures and materials as noted by the legend.

6'8"




106-778-1 2236



106-778-1P 2236



106-778-2 2236



106-778-3 2236



122-778-X 2264



135-778-4 2210
fan



135-778-6 2210
fan



203-778-7 842
round-top



300-778-X 2057
oval




304-778-2 1640
oval



304-778-3 1640
oval



306-778-1 1555
oval



404-778-1 2248



404-778-2 2248



129-778-1 836



152-778-X 764



450-778-1 848

8'0"



201-778-7 858
round-top



810-778-X 2280



852-778-X 880

Glass shown with platinum
caming. Brass & antique
black also available.



granite glass

clear beveled glass

glue chip beveled glass

platinum


caming



LEAST
OBSCURE 1 2 3 4 5 6 7 8 9 MOST
OBSCURE



MONDRIAN[®]glass



BELLEVILLE[®] SMOOTH with Mondrian[®] glass - door BLS-404-833-2 - sidelite BLSSL-450-833-1

	"8.9"										"0.8"					
	106-1	106-1P	106-2	106-3	122-X	404-1	404-2	129-1	152-X	450-1	122-1	122-2	404-1	404-1P	404-2	450-1
SW	106-833-1	106-833-1P	106-833-2	106-833-3	122-833-X	404-833-1	404-833-2	129-833-1	152-833-X	450-833-1	122-833-1	122-833-2	404-833-1	404-833-1P	404-833-2	450-833-1
BMT		•	•		•	•		•	•	•	•				•	•
BLT	•		•	•	•		•	•	•	•			•		•	•
BFT			•		•	•		•		•						
BLS	•	•	•	•	•	•		•	•	•	•		•	•	•	•
OAK			•		•		•	•	•	•					•	•
SHD		•	•		•	•	•	•	•	•		•			•	•
MHD	•	•	•		•	•	•	•	•	•		•			•	•

BMT
Belleville[®] Mahogany
Textured

BLT
Belleville[®] Oak Textured

BFT
Belleville[®] Fir Textured

BLS
Belleville[®] Smooth

OAK
Oakcraft[®]

SHD
Sta-Tru[®] HD Steel

MHD
Masonite[®] HD Steel

Door images shown in white are available in a variety of textures and materials as noted by the legend.

6'8"



106-833-1 2236



106-833-1P 2236




106-833-2 2236



106-833-3 2236



122-833-X 2264



404-833-1 2248



404-833-2 2248



129-833-1 836



152-833-X 764



450-833-1 848

Featuring SpectraWeld® technology, a unique system utilizing revolutionary composite material that bonds to the glass and simulates camming.

Mondrian features a full panel of textured glass which provides a high level of obscurity and diffuses the appearance of the SpectraWeld from the inside of the home.



tempered
oceana glass
(inside facing)

grey ceramic frit

charcoal
SpectraWeld®



LEAST
OBSCURE

1 2 3 4 5 6 7 8 9

MOST
OBSCURE



NAPLES® glass



8'0" BELLEVILLE® OAK TEXTURED with Naples® glass – door BLT-404-366-1

	106-1	106-1P	106-2	106-3	122-X	203-7	215-2	217-2	228-3	228-4	228-6	404-1	404-2
AB	106-366-1	106-366-1P	106-366-2	106-366-3	122-366-X	203-366-7	215-366-2	217-217-2	228-366-3	228-366-4	228-366-6	404-366-1	404-366-2
BMT		•	•		•	•				•		•	
BLT	•		•	•		•	•		•		•		•
BFT			•		•		•			•		•	
BLS	•	•	•	•	•	•	•		•	•	•	•	•
OAK			•		•					•			•
SHD		•	•		•	•	•	•		•		•	•
MHD	•	•	•		•	•	•	•		•		•	•

	"8,9					"0,8									
															
	129-1	151-X	152-X	450-1	615-1	122-1	122-2	404-1	404-1P	404-2	810-X	151-1	450-1	852-X	
AB	129-366-1	151-366-X	152-366-X	450-366-1	615-366-1	122-366-1	122-366-2	404-366-1	404-366-1P	404-366-2	810-366-X	151-366-1	450-366-1	852-366-X	
BMT	•		•	•		•				•	•	•	•	•	
BLT	•		•	•	•			•		•	•	•	•	•	
BFT	•	•		•	•										
BLS	•		•	•	•	•		•	•	•	•	•	•	•	
OAK	•		•	•						•	•		•	•	
SHD	•		•	•	•		•			•	•	•	•	•	
MHD	•		•	•	•		•			•	•	•	•	•	

BMT
Belleville® Mahogany
Textured

BLT
Belleville® Oak Textured

BFT
Belleville® Fir Textured

BLS
Belleville® Smooth


OAK
Oakcraft®

SHD
Sta-Tru® HD Steel

MHD
Masonite® HD Steel



T-366



A48-366 accent window

Door images shown in white are available in a variety of textures and materials as noted by the legend.

6'8"



106-366-1 2236



106-366-1P 2236




106-366-2 2236



106-366-3 2236



122-366-X 2264



203-366-7 842
round-top



215-366-2 2216
shown with optional
dentil shelf




Q1

new

217-366-2 2217



404-366-1 2248



404-366-2 2248



228-366-3 2210



228-366-4 2210



228-366-6 2210



129-366-1 836



152-366-X 764




450-366-1 848



615-366-1 816


8'0"



810-366-X 2280



852-366-X 880



Q1 Available Q1 2014

*Profile for 217 lite frame is unique. Please specify 77DDP152-03660K-SQS full sidelites to match.



PANAMA[®]glass



BELLEVILLE[®] SMOOTH with Panama[®] glass – doors BLS-203-725-7

																			"8,9
B	106-724-1	106-724-1P	106-724-2	106-724-3	122-724-X	135-724-4	135-724-6	203-724-7	300-724-X	304-724-2	304-724-3	306-724-1	404-724-1	404-724-2	129-724-1	151-724-X	152-724-X	450-724-1	
P	106-725-1	106-725-1P	106-725-2	106-725-3	122-725-X	135-725-4	135-725-6	203-725-7	300-725-X	304-725-2	304-725-3	306-725-1	404-725-1	404-725-2	129-725-1	151-725-X	152-725-X	450-725-1	
BMT		•	•		•			•		•			•		•		•	•	
BLT	•		•	•	•	•	•	•	•		•	•		•	•		•	•	
BFT			•		•					•			•		•	•		•	
BLS	•	•	•	•	•	•	•	•	•	•	•		•	•	•			•	•
OAK			•		•	•			•		•			•	•		•	•	
SHD		•	•		•	•		•	•		•	•	•	•	•			•	•
MHD	•	•	•		•	•		•	•		•	•	•	•	•			•	•

"0,8											
	122-1	122-2	201-7	306-2	404-1	404-1P	404-2	810-X	151-1	450-1	852-X
B	122-724-1	122-724-2	201-724-7	306-724-2	404-724-1	404-724-1P	404-724-2	810-724-X	151-724-1	450-724-1	852-724-X
P	122-725-1	122-725-2	201-725-7	306-725-2	404-725-1	404-725-1P	404-725-2	810-725-X	151-725-1	450-725-1	852-725-X
BMT	•			•			•	•	•	•	•
BLT			•		•		•	•	•	•	•
BFT											
BLS	•		•	•	•	•	•	•	•	•	•
OAK							•	•		•	•
SHD		•					•	•	•	•	•
MHD		•					•	•	•	•	•

BMT
Belleville[®] Mahogany
Textured

BLT
Belleville[®] Oak Textured

BFT
Belleville[®] Fir Textured

BLS
Belleville[®] Smooth


OAK
Oakcraft[®]

SHD
Sta-Tru[®] HD Steel

MHD
Masonite[®] HD Steel



C38-724, C38-725



C-724, C-725



S-724, S-725



E-724, E-725




T-724, T-725

Door images shown in white are available in a variety of textures and materials as noted by the legend.

6'8"




106-725-1 2236



106-725-1P 2236



106-725-2 2236



106-725-3 2236



122-725-X 2264



135-725-4 2210
fan



135-725-6 2210
fan



203-725-7 842
round-top



300-725-X 2057
oval



304-725-2 1640
oval



304-725-3 1640
oval



306-725-1 1555
oval



404-725-1 2248



404-725-2 2248




129-725-1 836



152-725-X 764



450-725-1 848



8'0"



201-725-7 858
round-top




810-725-X 2280



852-725-X 880

Glass shown with platinum
caming. Brass also available.




PEAR glass



BELLEVILLE® CRAFTSMAN OAK with Pear glass and applied dentil shelf - BLT-215-116-2

"8,9															
	106-1	106-1P	106-2	106-3	122-X	137-3	137-4	137-6	215-2	228-3	217-2	228-4	228-6	404-1	404-2
T	106-116-1	106-116-1P	106-116-2	106-116-3	122-116-X	137-116-3	137-116-4	137-116-6	215-116-2	228-116-3	217-116-2	228-116-4	228-116-6	404-116-1	404-116-2
BMT		•	•		•							•		•	
BLT	•		•	•	•	•	•	•	•	•		•	•		•
BFT			•		•				•			•		•	
BLS	•	•	•	•	•	•	•	•	•	•		•	•	•	•
OAK			•		•		•					•			•
SHD		•	•		•		•		•		•	•		•	•
MHD	•	•	•		•		•		•		•	•		•	•

"8,9						"0,8							
	129-1	151-X	152-X	450-1	615-1		122-1	122-2	404-1	404-1P	404-2	151-1	450-1
T	129-116-1	151-116-X	152-116-X	450-116-1	615-116-1		122-116-1	122-116-2	404-116-1	404-116-1P	404-116-2	151-116-1	450-116-1
BMT	•		•	•			•				•	•	•
BLT	•		•	•	•				•		•	•	•
BFT	•	•		•	•								
BLS	•		•	•	•		•		•	•	•	•	•
OAK	•		•	•							•		•
SHD	•		•	•	•			•			•	•	•
MHD	•		•	•	•			•			•	•	•

BMT
Belleville® Mahogany
Textured

BLT
Belleville® Oak Textured

BFT
Belleville® Fir Textured

BLS
Belleville® Smooth

OAK
Oakcraft®

SHD
Sta-Tru® HD Steel


MHD
Masonite® HD Steel

Door images shown in white are available in a variety of textures and materials as noted by the legend.

6'8"



106-116-1 2236



106-116-1P 2236



106-116-2 2236



106-116-3 2236



122-116-X 2264



137-116-3 2210
camber-top




137-116-4 2210
camber-top



137-116-6 2210
camber-top



215-116-2 2216
shown with optional
dentil shelf



Q1 **new**
*217-366-2 2217



228-116-3 2210



228-116-4 2210



228-116-6 2210



404-116-1 2248



404-116-2 2248



129-116-1 836



152-116-X 764



450-116-1 848



615-116-1 816

A classic textured glass with assuring privacy bringing the ambiance of natural light indoors.


Pear features an energy saving Low-E coating on surface #2.



Q1 Available Q1 2014

*Profile for 217 lite frame is unique. Please specify 77DDP152-01160K-SQS full sidelites to match.

Your Glass



Your SDL Kit



See page 89 for more configurations



LEAST OBSCURE 1 2 3 4 5 6 7 8 9 MOST OBSCURE

PRIVACY RATING 9

QUATTRO[®] glass



BELLEVILLE[®] HOLLISTER[®] SMOOTH with Quattro[®] glass – door BLS-404-957-1 – sidelites BLSL-450-957-1

	"8.9"											"0.8"						
	106-1	106-1P	106-2	106-3	122-X	404-1	404-2	129-1	151-X	152-X	450-1	122-1	122-2	404-1	404-1P	404-2	151-1	450-1
WR	106-957-1	106-957-1P	106-957-2	106-957-3	122-957-X	404-957-1	404-957-2	129-957-1	151-957-X	152-957-X	450-957-1	122-957-1	122-957-2	404-957-1	404-957-1P	404-957-2	151-957-1	450-957-1
BMT		•	•		•	•		•		•	•	•				•	•	•
BLT	•		•	•			•			•				•		•		•
BFT			•		•	•		•	•		•							
BLS	•	•	•	•	•	•	•	•		•	•	•		•	•	•	•	•
OAK			•		•		•	•		•	•					•	•	•
SHD		•	•		•	•	•	•		•	•		•			•	•	•
MHD	•	•	•		•	•	•	•		•	•		•			•	•	•

BMT
Belleville[®] Mahogany
Textured

BLT
Belleville[®] Oak Textured

BFT
Belleville[®] Fir Textured

BLS
Belleville[®] Smooth

OAK
Oakcraft[®]

SHD
Sta-Tru[®] HD Steel

MHD
Masonite[®] HD Steel



T-957

Door images shown in white are available in a variety of textures and materials as noted by the legend.

6'8"



106-957-1 2236



106-957-1P 2236



106-957-2 2236



106-957-3 2236



122-957-X 2264



404-957-1 2248



404-957-2 2248




129-957-1 836



152-957-X 764




450-957-1 848



Quattro features a full panel of textured glass which provides a high level of obscurity and diffuses the appearance of the wrought iron from the inside of the home.

tempered
oceana glass
(inside facing)

wrought iron



LEAST
OBSCURE 1 2 3 4 5 6 7 8 9 MOST
OBSCURE



ROCKLAND[®]glass



BELLEVILLE[®] SMOOTH with Rockland[®] glass – door BLS-137-566-3

	"8.9														
		106-1	106-1P	106-2	106-3	107-1	107-1P	107-2	107-3	122-X	137-3	137-4	137-6	404-1	404-2
AB		106-566-1	106-566-1P	106-566-2	106-566-3	107-566-1	107-566-1P	107-566-2	107-566-3	122-566-X	137-566-3	137-566-4	137-566-6	404-566-1	404-566-2
BMT			•	•			•			•				•	
BLT	•			•	•			•	•	•	•	•	•		•
BFT				•					•	•				•	
BLS	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
OAK				•				•		•		•			•
SHD			•	•		•	•	•		•		•		•	•
MHD	•	•	•			•	•	•		•		•		•	•

	"8.9					"0.8							
		129-1	151-X	152-X	450-1		122-1	122-2	404-1	404-1P	404-2	151-1	450-1
AB		129-566-1	151-566-X	152-566-X	450-566-1		122-566-1	122-566-2	404-566-1	404-566-1P	404-566-2	151-566-1	450-566-1
BMT	•			•	•		•				•	•	•
BLT	•			•	•				•		•	•	•
BFT	•	•			•								
BLS	•			•	•		•		•	•	•	•	•
OAK	•			•	•						•		•
SHD	•			•	•			•			•	•	•
MHD	•			•	•		•				•	•	•

BMT
Belleville[®] Mahogany
Textured

BLT
Belleville[®] Oak Textured

BFT
Belleville[®] Fir Textured

BLS
Belleville[®] Smooth

OAK
Oakcraft[®]

SHD
Sta-Tru[®] HD Steel

MHD
Masonite[®] HD Steel

Door images shown in white are available in a variety of textures and materials as noted by the legend.

6'8"



106-566-1 2236



106-566-1P 2236



106-566-2 2236



106-566-3 2236



107-566-1 2237
camber-top




107-566-1P 2237
camber-top



107-566-2 2237
camber-top



107-566-3 2237
camber-top



122-566-X 2264



137-566-3 2210
camber-top



137-566-4 2210
camber-top



137-566-6 2210
camber-top




404-566-1 2248




404-566-2 2248



129-566-1 836



152-566-X 764



450-566-1 848



antique black
caming

granite glass

clear beveled
glass

clear swirl
glass





LEAST
OBSCURE 1 2 3 4 5 6 7 8 9 MOST
OBSCURE






SIENNA® glass



BELLEVILLE® SMOOTH with Sienna® glass – door BLS-404-817-2

	            												
	106-1	106-1P	106-2	106-3	107-1	107-1P	107-2	107-3	122-X	304-2	304-3	404-1	404-2
WR	106-817-1	106-817-1P	106-817-2	106-817-3	107-817-1	107-817-1P	107-817-2	107-817-3	122-817-X	304-817-2	304-817-3	404-817-1	404-817-2
BMT		•	•			•			•	•		•	
BLT	•		•	•			•	•	•		•		•
BFT			•						•	•		•	
BLS	•	•	•	•	•	•	•	•	•	•		•	•
OAK			•				•		•		•		•
SHD		•	•		•	•	•		•		•	•	•
MHD	•	•	•		•	•	•		•		•	•	•

	   				     						
	129-1	151-X	152-X	450-1	122-1	122-2	404-1	404-1P	404-2	151-1	450-1
WR	129-817-1	151-817-X	152-817-X	450-817-1	122-817-1	122-817-2	404-817-1	404-817-1P	404-817-2	151-817-1	450-817-1
BMT	•		•	•	•				•	•	•
BLT	•		•	•			•		•	•	•
BFT	•	•		•							
BLS	•		•	•	•		•	•	•	•	•
OAK	•		•	•					•		•
SHD	•		•	•		•			•	•	•
MHD	•		•	•		•			•	•	•

BMT
Belleville® Mahogany
Textured

BLT
Belleville® Oak Textured

BFT
Belleville® Fir Textured

BLS
Belleville® Smooth


OAK
Oakcraft®

SHD
Sta-Tru® HD Steel


MHD
Masonite® HD Steel

Door images shown in white are available in a variety of textures and materials as noted by the legend.


6'8"




106-817-1 2236




106-817-1P 2236




106-817-2 2236




106-817-3 2236




107-817-1 2237
camber-top



107-817-1P 2237
camber-top



107-817-2 2237
camber-top




107-817-3 2237
camber-top




122-817-X 2264




304-817-2 1640
oval



304-817-3 1640
oval



404-817-1 2248



404-817-2 2248



129-817-1 836



152-817-X 764




450-817-1 848

Sienna features a full panel of textured glass which provides a high level of obscurity and diffuses the appearance of the wrought iron from the inside of the home.



tempered pear
glass (inside
facing)

wrought iron



LEAST
OBSCURE 1 2 3 4 5 6 7 8 9 MOST
OBSCURE



WOODBIDGE[®]glass



BELLEVILLE[®] OAK TEXTURED with Woodbridge[®] glass - door BLT-122-443-X - sidelites BLTSL-152-443-X - transom E-646

"8.9"													
	122-X	137-3	137-4	137-6	228-3	228-4	228-6	300-X	304-2	304-3	306-1	404-1	404-2
B	122-442-X	137-442-3	137-442-4	137-442-6	228-442-3	228-442-4	228-442-6	300-442-X	304-442-2	304-442-3	306-442-1	404-442-1	404-442-2
P	122-443-X	137-443-3	137-443-4	137-443-6	228-443-3	228-443-4	228-443-6	300-443-X	304-443-2	304-443-3	306-443-1	404-443-1	404-443-2
BMT	•						•		•			•	
BLT	•	•	•	•	•	•	•	•		•	•		•
BFT	•					•			•			•	
BLS	•	•	•	•	•	•	•	•	•	•		•	•
OAK	•		•			•		•		•			•
SHD	•		•			•		•		•	•	•	•
MHD	•		•			•		•		•	•	•	•

"8.9"					"10.8"								
	129-1	151-X	152-X	450-1		122-1	122-2	306-2	404-1	404-1P	404-2	151-1	450-1
B	129-442-1	151-442-X	152-442-X	450-442-1		122-442-1	122-442-2	306-442-2	404-442-1	404-442-1P	404-442-2	151-442-1	450-442-1
P	129-443-1	151-443-X	152-443-X	450-443-1		122-443-1	122-443-2	306-443-2	404-443-1	404-443-1P	404-443-2	151-443-2	450-443-1
BMT	•		•	•		•		•			•	•	•
BLT	•		•	•					•		•	•	•
BFT	•	•		•									
BLS	•		•	•		•		•	•	•	•	•	•
OAK	•		•	•							•	•	•
SHD	•		•	•			•				•	•	•
MHD	•		•	•		•					•	•	•

BMT
Belleville[®] Mahogany
Textured

BLT
Belleville[®] Oak Textured

BFT
Belleville[®] Fir Textured

BLS
Belleville[®] Smooth

OAK
Oakcraft[®]

SHD
Sta-Tru[®] HD Steel

MHD
Masonite[®] HD Steel



C38-645, C38-646, C38-647



C-645, C-646, C-647



S-645, S-646, S-647



E-645, E-646, E-647



T-645, T-646, T-647

Door images shown in white are available in a variety of textures and materials as noted by the legend.

6'8"



122-442-X 2264



137-442-3 2210
cambertop



137-442-4 2210
cambertop



137-442-6 2210
cambertop



228-442-3 2210



228-442-4 2210



228-442-6 2210



300-442-X 2057
oval



304-442-2 1640
oval



304-442-3 1640
oval



306-442-1 1555
oval



404-442-1 2248



404-442-2 2248



129-442-1 836



152-442-X 764



450-442-1 848



Glass shown with brass caming.
Platinum also available.

granite glass
clear beveled glass
glue chip glass
brass caming



LEAST
OBSCURE 1 2 3 4 5 6 7 8 9 MOST
OBSCURE



ZAVALLA® glass



BELLEVILLE® MAHOGANY TEXTURED with Zavalla® glass – door BMT-122-537-X – sidelites BMTSL-152-537-X

	"0,9						"0,8								
															
P	122-537-X	404-537-1	404-537-2	151-537-X	152-537-X	450-537-1	122-537-1	122-537-2	404-537-1	404-537-1P	404-537-2	810-537-X	151-537-1	450-537-1	852-537-X
BMT	•	•			•	•	•				•	•	•	•	•
BLT	•		•		•	•			•		•	•	•	•	•
BFT	•	•		•		•									
BLS	•	•	•		•	•	•		•	•	•	•	•	•	•
OAK	•		•		•	•					•	•		•	•
SHD	•	•	•		•	•		•			•	•	•	•	•
MHD	•	•	•		•	•		•			•	•	•	•	•

BMT
Belleville® Mahogany
Textured

BLT
Belleville® Oak Textured

BFT
Belleville® Fir Textured

BLS
Belleville® Smooth

OAK
Oakcraft®

SHD
Sta-Tru® HD Steel

MHD
Masonite® HD Steel

Door images shown in white are available in a variety of textures and materials as noted by the legend.

6'8"



122-537-X 2264



404-537-1 2248



404-537-2 2248



152-537-X 764



450-537-1 848

8'0"



810-537-X 2280



852-537-X 880

Zavalla glass options are limited only by your imagination. No lefts or rights, no ups and downs, no rules — each Zavalla insert is designed to be rotated — the orientation and arrangement of each insert in your door system is entirely reflective of your own personal wishes.



DOOR COMBINATIONS	Option 1	Option 2	Option 3	Option 4	Option 5	Option 6	Option 7	Option 8
D		(	)					
S D	(	(	)	(	)			
D S	(	(	)	(	)			
S D S	(	(	)	(	)	)	(	(
D D	(	(	)	(	)	)	(	(

D = doorlite S = sidelite

*Note: Option 3 will not create a perfect circle



Masonite offers a **full lite** perfect circle configuration for Zavalla. Please specify when ordering, as different part numbers are required.

clear
beveled glass
narrow
reed
platinum
caming



LEAST
OBSCURE 1 2 3 4 5 6 7 8 9 MOST
OBSCURE



CLEAR LITES door & glass

Imagine a blind you don't have to dust or clean. Our blinds are built into efficient sealed units protected with tempered glass. A single touch easily opens/closes blinds for privacy and light exposure.

Our venting inserts are virtually maintenance free and will not yellow or crack.

Internal Blinds 010 tilt only 01RL raise&lower-tilt										clear or Low-E glass			
CLEAR OR LOW-E GLASS													
	B106-010-2 B106-01RL-2	B106-09E-2	B120-010-X B120-01RL-X	B122-010-X B122-01RL-X	B120-150E-2-X	B122-150E-2-X	B160-010-2 B160-01RL-2	B404-010-2	B129-010-1	B152-010-X	B450-010-1	B810-01RL-X	B820-01RL-X
BMT													
BLT	•	•	•	•	•	•	•	•	•	•	•	•	•
BFT	•	•		•		•			•		•		
BLS	•	•	•	•	•	•	•	•	•	•	•	•	•
OAK	•	•	•	•	•	•	•	•	•	•	•	•	•
SHD	•	•	•	•	•	•	•	•	•	•	•	•	•
MHD	•	•	•	•	•	•	•	•	•	•	•	•	•
MUS	•	•	•	•	•	•	•		•	•			

Venting Inserts 010 one lite							I standard internal grille			clear or Low-E glass			
CLEAR OR LOW-E GLASS		clear glass only	clear glass only	clear glass only	clear glass only	clear glass only	clear glass only		clear glass only	clear glass only	clear glass only	clear glass only	clear glass only
	V106-010-2	V120-010-X	V122-010-X	V160-010-2	V404-010-2	V129-010-1	V151-010-X	V106-12I-2	V120-18I-X	V122-18I-X	V160-12I-2	V129-04I-1	V151-06I-1-X
BMT													
BLT	•	•	•	•	•	•	•	•	•	•	•	•	•
BFT	•		•			•	•	•		•		•	•
BLS	•	•	•	•	•	•	•	•	•	•	•	•	•
OAK	•	•	•	•	•	•	•	•	•	•	•	•	•
SHD	•	•	•	•	•	•	•	•	•	•	•	•	•
MHD	•	•	•	•	•	•	•	•	•	•	•	•	•
MUS	•	•	•	•		•	•	•	•	•	•	•	•

External Grille Inserts E standard external grille††										clear or Low-E glass			
CLEAR OR LOW-E GLASS													
	106-09E-2	107-09E-2	120-10E-X	122-10E-X	120-15E-X	122-15E-X	135-05E-4	137-05E-4	160-09E-2	215-03E-2	215-06E-2	129-03E-1	152-05E-X
BMT													
BLT	•	•	•	•	•	•	•	•	•	•	•	•	•
BFT	•			•		•				•	•	•	•
BLS	•	•	•	•	•	•	•	•	•	•	•	•	•
OAK	•	•	•	•	•	•	•	•	•	•	•	•	•
SHD	•	•	•	•	•	•	•	•	•	•	•	•	•
MHD	•	•	•	•	•	•	•	•	•	•	•	•	•
MUS	•	•	•	•	•	•	•	•	•			•	•

species

BMT Belleville® Mahogany Textured

BLT Belleville® Oak Textured

BFT Belleville® Fir Textured

BLS Belleville® Smooth

OAK Oakcraft®





SHD Sta-Tru® HD Steel





MHD Masonite HD Steel

MUS Masonite Utility Steel

†Available clear or Low-E argon

MHD and SHD doors are available with wood-edge or steel-edge construction. MUS doors are wood-edge only. Wood-edge sidelites are utilized on all MUS, MHD and SHD door units. †Almond stainable frames are not available. *Mahogany tinted frames are not available, however, BMT doors are physically compatible with BLT inserts. ††Simulated divided lite options using extruded PVC lineals are available in select configurations.

One Lite 010 standard one lite										clear or Low-E glass			
CLEAR OR LOWE GLASS													
													
BMT	•					•							•
BLT	•	•	•	•	•	•	•		•	•	•		•
BFT	•					•					•		•
BLS	•	•	•	•	•	•	•		•	•	•		•
OAK	•	•	•	•	•	•	•	•	•	•	•		•
SHD	•	•	•	•	•	•	•	•	•	•	•	•	•
MHD	•	•	•	•	•	•	•	•	•	•	•	•	•
MUS	•	•	•		•	•	•		•	•			•

CLEAR OR LOWE GLASS													
													
BMT				•	•	•	•	•	•	•	•	•	
BLT	•	•	•	•	•	•	•	•	•	•	•	•	
BFT				•	•	•		•	•				
BLS	•	•	•	•	•		•	•	•	•	•	•	
OAK	•	•	•	•	•	•	•	•	•	•	•	•	
SHD	•	•	•	•	•	•	•	•	•	•	•	•	
MHD	•	•	•	•	•	•	•	•	•	•	•	•	
MUS	•			•	•		•						

Q1 Available Q1 2014

*Profile for 217 lite frame is unique. Please specify 152 smooth PVC sidelites to match this lite frame.



BMT

BLT

BFT

BLS

OAK

SHD

MHD

Internal Grilles

Internal Grille Types**

(specify grille type when ordering)
All grille styles are not available in all life sizes. See price book for detailed offering list.

A

White
Slimline
5/16"



B

White
Traditional
5/8"



C

White Wide
Traditional
7/8"



D

White
Georgian
5/8"




E

Sandlewood
Traditional
5/8"



H

Tudor
5/8"



L

Almond Wide
Traditional
7/8"

new



M

Antique
Black
5/8"



Internal Grille Inserts																I	standard internal grille	P	prairie internal grille	C	craftsman internal grille	clear or	Low-E glass
CLEAR OR LOW-E GLASS																							
	106-04I-2	106-09I-2	107-09I-2	114-10I-X	120-08I-X	122-08I-X	120-10I-X	122-10I-X	120-15I-X	122-15I-X	135-05I-4	160-09I-2	215-020-2	215-030-2	215-040-2	215-060-2							
BMT	•	•				•				•													
BLT	•		•	•	•	•		•	•	•	•	•	•	•	•	•							
BFT	•	•				•		•		•			•	•	•	•							
BLS	•		•	•	•	•	•		•		•		•	•	•	•							
OAK	•	•	•	•	•	•		•	•	•	•	•											
SHD	•	•	•	•		•	•	•		•	•		•	•		•							
MHD	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•							
MUS	•	•	•	•	•	•	•	•	•	•	•	•											

CLEAR OR LOW-E GLASS															
	228-06I-4	404-04I-2	404-06I-2	404-08I-2	404-12I-2	129-02I-1	129-03I-1	151-04I-X	152-04I-X	151-05I-X	152-05I-X	450-02I-1	450-03I-1	450-04I-1	615-020-1
BMT	•					•	•	•		•	•	•	•	•	
BLT	•	•	•	•	•	•	•		•	•	•	•	•	•	•
BFT	•					•	•	•		•		•	•	•	•
BLS	•	•	•	•	•	•	•		•	•	•	•	•	•	•
OAK	•	•	•	•	•	•	•			•	•	•	•	•	
SHD	•	•	•	•	•	•	•		•	•	•	•	•	•	•
MHD	•	•	•	•	•	•	•		•	•	•	•	•	•	•
MUS						•	•		•		•				

CLEAR OR LOW-E GLASS														
	810-12I-X	820-12I-X	810-18I-X	820-18I-X	852-06I-X	106-09P-2	120-09P-X	122-09P-X	160-09P-2	404-09P-2	129-06P-1	151-06P-X	152-06P-X	450-06P-1
BMT	•	•	•		•	•		•	•	•	•	•	•	•
BLT	•	•	•	•	•	•	•	•	•	•	•	•	•	•
BFT						•		•		•	•	•	•	•
BLS	•	•	•	•	•	•	•	•	•	•	•	•	•	•
OAK	•	•	•	•	•	•	•	•	•	•	•	•	•	•
SHD	•	•	•	•	•	•	•	•	•	•	•	•	•	•
MHD	•	•	•	•	•	•	•	•	•	•	•	•	•	•
MUS						•	•	•	•	•	•	•	•	•

CLEAR OR LOW-E GLASS																	
	106-03C-2	106-04C-2	120-03C-X	122-03C-X	120-04C-X	122-04C-X	404-03C-2	404-04C-2	129-03C-1	151-03C-X	152-03C-X	450-03C-1	810-03C-X	810-04C-X	820-03C-X	820-04C-X	852-03C-X
BMT	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•
BLT	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
BFT	•	•		•		•		•	•	•		•					
BLS	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•
OAK	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•
SHD	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•
MHD	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
MUS	•	•	•	•	•	•	•	•	•	•	•	•					

*Available clear or Low-E argon

MHD doors are available with wood-edge or steel-edge construction. MUS doors are wood-edge only. Wood-edge sidelites are utilized on all MUS and MHD door units. †Almond stainable frames are not available. *Mahogany tinted frames are not available, however, BMT doors are physically compatible with BLT inserts. ††Simulated divided lite options using extruded PVC lineals are available in select configurations.

NEW

SDL

Create Your Own Glass Design with Your Choice of Masonite Glass SDL Kit Options




W White A Almond M Mahogany

Your Glass



Your SDL Kit



- smooth or textured available: white, almond and mahogany
- standard or Prairie configurations available
- SDLs can be painted or stained
- feature strong, weather-resistant adhesive tape
- kit includes set for inside and outside of door

SDL Simulated Divided Lite 6'8" doors & sidelites

FRAMES	106-S04-2	106-S06-2	106-S09-2	160-S04-2	160-S06-2	160-S09-2	120-S04-X	120-S06-X	120-S08-X	120-S09-X	120-S09P-X	120-S10-X	120-S12-X	120-S15-X	122-S04-X	122-S06-X	122-S08-X	122-S09-X	122-S09P-X	122-S10-X	122-S12-X	122-S15-X
W	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
A	•	•	•												•	•	•	•	•	•	•	•
M	•	•	•												•	•	•	•	•	•	•	•

FRAMES	215-S02-2	215-S03-2	215-S04-2	215-S06-2	404-S04-2	404-S06-2	404-S08-2	404-S09P-2	129-S02-1	129-S03-1	151-S03-X	151-S04-X	151-S05-X	151-S06P-X	152-S03-X	152-S04-X	152-S05-X	152-S06P-X	450-S02-1	450-S03-1	450-S04-1	450-S06P-1	615-S02-1
W	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
A	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
M					•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

8'0" doors & sidelites

FRAMES	404-S04-2	404-S06-2	404-S08-2	404-S09P-2	122-S04-2	122-S06-2	122-S08-2	122-S09-2	122-S09P-2	122-S10-2	122-S12-2	122-S15-2	810-S04-X	810-S06-X	810-S08-X	810-S09-X	810-S10-X	810-S12-X	810-S15-X	810-S18-X	810-S09P-X
W	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
A	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
M	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

FRAMES	820-S04-X	820-S06-X	820-S08-X	820-S09-X	820-S10-X	820-S12-X	820-S15-X	820-S18-X	820-S09P-X	151-S03-1	151-S04-1	151-S05-1	151-S06P-1	450-S02-1	450-S03-1	450-S04-1	450-S06P-1	852-S03-X	852-S04-X	852-S05-X	852-S06-X	852-S06P-X
W	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
A	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
M	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•

Note: Craftsman sizes are designed to fit fiberglass doors only.

W = White A = Almond M = Mahogany

Entry Systems



BELLEVILLE® SMOOTH with Quattro® glass – door BLS-106-957-1 sidelite BLSSL-129-957-1

Composite Backed Sills

1 A key to preventing water intrusion is properly sealing the bottom of the sill to the foundation. Our composite material will not rot and makes proper installation easy.

Astragal




2 Premium thermal astragals with locking flush bolts and durable rubber boots seal off the elements with the performance to fit almost any application (double doors only).

Weather Tight

3 Compression weather stripping seals the edges of the doors and helps prevent water and air infiltration. Composite bottom door rail with sweep will not rot and fends off drafts.

Premium Construction

4 Continuous head and sill construction maximizes the stability and rigidity of the assembled system while eliminating potential sources for water intrusion. Mull boots ease installation and keep components above potential water.



Components shown and described are representative examples.

NOTE: Mill finish is standard on all sills. Brass or bronze finishes are also available.

Masonite®

U-Install™ replacement frames

make it easy for you.

Quick & easy installation



before



install



after

No need to remove the old frames or hassle with complicated installation procedures. Just measure the width and height of the opening and order the frame components, door and sill. When they arrive, remove your old door, trim and threshold then assemble the new components with the replacement door and install inside your existing door frame.

U-install frame kits

- pre-primed and ready to paint
- matches Prem spec door hinge patterns
- can be paired with either our steel or fiberglass doors
- constructed from quality heavy-duty steel

Replacement size doors

- undersized to fit directly into your existing frame
- can be fitted with your choice of our glass
- wide variety of styles and configurations available

Replacement doors

Door sizes available

door style	flush	4 panel blank top	6 panel
2'6" x 6'8"	✓		✓
2'8" x 6'8"	✓	✓	✓
3'0" x 6'8"	✓	✓	✓

Sizes

If your existing frame measures between:

Minimum Width	Maximum Width	Door Size
29-3/4"	30-1/2"	2'6"
31-3/4"	32-1/2"	2'8"
35-3/4"	36-1/2"	3'0"
Minimum Height	Maximum Height	Door Size
80"	80-1/2"	6'8"
84"	84-1/2"	7'0"

Fast-Frame[®] adjustable steel door frames

THE ULTIMATE ADJUSTABLE KERFED STEEL DOOR FRAME

FAST-FRAME's advanced design adds a new dimension of flexibility and durability to Masonite's steel entry door line. Developed and manufactured exclusively for Masonite by TIMELY[®], FAST-FRAME features a full 1" of adjustability to accommodate almost any variation in wall construction. This easy-to-install, user-friendly, kerfed steel door frame system is applicable to a full range of residential and commercial applications—wood or steel stud construction. TIMELY's expertise in innovating and manufacturing steel door frame components is second to none. FAST-FRAME is engineered to meet the most stringent code requirements including structural, impact and 90-minute fire ratings.

TA-1 ADJUSTABLE T-STRIKE

1/4" of adjustment allows for ease of field installations for proper door closure

CLOSURE SPAN ADJUSTMENT CHART

Wall Sizes
 $4\text{'}-1\frac{1}{2}" - 5\text{'}-1\frac{1}{2}" = 1\text{'}-7\frac{7}{8}"$
 $5\text{'}-1\frac{1}{2}" - 6\text{'}-1\frac{1}{2}" = 2\text{'}-7\frac{7}{8}"$
 $6\text{'}-1\frac{1}{2}" - 7\text{'}-1\frac{1}{2}" = 3\text{'}-7\frac{7}{8}"$
 Wider sizes are available upon request.

WEATHERSTRIPPING

Schlegel foam-filled compression (QEBD500)
 90-minute fire rating

PRIMED WHITE GALVANIZED STEEL

Galvanized 20-gauge steel provides superior corrosion resistance, matches our Masonite HD bright white doors, and is an ideal surface for painting

OUTER ADJUSTABLE CLOSURE


20-gauge steel
 2 uprights - 1 header

SILLS


Standard Inswing
 Thermally broken - 5-5/8" width
 Optional extenders for larger wall sizes
 Note: Not for use on outswing applications.



Handicap (ADA)
 Double Slope 4-9/16" & 6-9/16" width



Tile Face 4-1/4" & 6-1/4" width
 Note: Not for use on outswing applications.



Bumper Outswing 4-9/16" width



HINGE REINFORCEMENT

14-gauge, unique extruded holes provide the strength of a 12-gauge hinge reinforcement



- double door width is with a "z" astragal. if using a 5/8" astragal then add 9/16" to the width
- all dimensions shown are for doors with standard inswing sill. deduct 13/16" for bumper outswing or handicap compliant sill
- add 4" to height for 7'0" height
- add 16" to height for 8'0" height
- premdor spec slabs add 1/4" to height

FAST-FRAME[®] Rough Openings[†]

Prehung door sizes

	Nominal Door Size	Rough Opening Size (wood stud)
	Width x Height	Width x Height
Single door	2'0" x 6'8"	25-1/4" x 81-3/8"
	2'6" x 6'8"	31-1/4" x 81-3/8"
	2'8" x 6'8"	33-1/4" x 81-3/8"
	2'10" x 6'8"	35-1/4" x 81-3/8"
	3'0" x 6'8"	37-1/4" x 81-3/8"
Double door	4'0" x 6'8"	49-1/4" x 81-3/8"
	5'0" x 6'8"	61-1/4" x 81-3/8"
	5'4" x 6'8"	65-1/4" x 81-3/8"
	5'8" x 6'8"	69-1/4" x 81-3/8"
	6'0" x 6'8"	73-1/4" x 81-3/8"

*Z astragals only available in 6'8" and 8'0" heights

[†]Masonite spec


CASING OPTIONS




Wood trim and brickmould can be easily applied to Fast-Frame using nails or trim head screws without the need for custom millwork.

FAST-FRAME CASINGS

TA-8 STANDARD STEEL CASING



TA-30 COLONIAL STEEL CASING



- TA-8 casings enhance any commercial or residential setting.
- TA-30 casings add a special warmth for assisted living, motels, hotels, offices, apartments and homes.

It is recommended that TA-18 retainer clips be used for both casings.

APPLICATIONS

- Multi-Family ■ Assisted Living ■ Motel/Hotel
- House to Garage ■ Garage to Exterior



FIRE LABELS

Up to 90-Minute Fire Ratings available in single and double* configurations

*A 'Z' astragal and flush bolt are required for double fire ratings (sold separately)

CLOSURE TEST

In a 90-minute application, the door will close and latch from 18" if the following Fast-Frame components are used:

- QEBD500 Foam-Filled Compression Weatherstripping
- Factory Sweep • Adjustable T-Strike • Factory Supplied Sills • Self Closing Hinges



MASONITE® HD 6 panel steel door



STRUCTURAL PERFORMANCE AND IMPACT RATING

Design pressure ratings are available for compliance with national, state and local wind load and/or missile requirements. Product tested for structural and impact performance in accordance with TAS 201, 202, and 203. Product approval available under the Florida Department of Community Affairs (FL10357). Please note: Structural and Impact performance requires use of a hurricane grade 5/8" T-astragal for double doors.

DOOR SELECTION

Fast-frame is available in either right- or left-hand inswing or outswing, and is for use with any Masonite steel entry door.

easy to install

Entry Systems rough openings

new construction size

SINGLE DOOR

Nominal Door Size		Door Unit Actual Size		Rough Opening Size (wood stud)		Outside Brickmould Size	
Width	Height	Width	Height*	Width	Height*	Width	Height*
2'6"	6'8"	31-1/2"	81-1/2"	32-1/4"	82"	34"	82-3/4"
2'8"	6'8"	33-1/2"	81-1/2"	34-1/4"	82"	36"	82-3/4"
2'8"	8'0"	33-1/2"	97-1/2"	34-1/4"	98"	36"	98-3/4"
3'0"	6'8"	37-1/2"	81-1/2"	38-1/4"	82"	40"	82-3/4"
3'0"	8'0"	37-1/2"	97-1/2"	38-1/4"	98"	40"	98-3/4"

SINGLE DOOR WITH ONE L/H OR R/H SIDELITE

Nominal Door Size		Nominal Sidelite Size		Door Unit Actual Size		Rough Opening Size (wood stud)		Outside Brickmould Size	
Width	Height	Width	Height	Width	Height*	Width	Height*	Width	Height*
2'6"	6'8"	10"	6'8"	43"	81-1/2"	43-3/4"	82"	45-1/2"	82-3/4"
2'6"	6'8"	1'0"	6'8"	45"	81-1/2"	45-3/4"	82"	47-1/2"	82-3/4"
2'6"	6'8"	1'2"	6'8"	47"	81-1/2"	47-3/4"	82"	49-1/2"	82-3/4"
2'8"	6'8"	10"	6'8"	45"	81-1/2"	46-1/4"	82"	47-1/2"	82-3/4"
2'8"	6'8"	1'0"	6'8"	47"	81-1/2"	45-3/4"	82"	49-1/2"	82-3/4"
2'8"	6'8"	1'2"	6'8"	49"	81-1/2"	49-3/4"	82"	51-1/2"	82-3/4"
2'8"	8'0"	1'0"	8'0"	47"	97-1/2"	47-3/4"	98"	49-1/2"	98-3/4"
2'8"	8'0"	1'2"	8'0"	49"	97-1/2"	49-3/4"	98"	51-1/2"	98-3/4"
3'0"	6'8"	10"	6'8"	49"	81-1/2"	49-3/4"	82"	51-1/2"	82-3/4"
3'0"	6'8"	1'0"	6'8"	51"	81-1/2"	51-3/4"	82"	53-1/2"	82-3/4"
3'0"	6'8"	1'2"	6'8"	53"	81-1/2"	53-3/4"	82"	55-1/2"	82-3/4"
3'0"	8'0"	1'0"	8'0"	51"	97-1/2"	51-3/4"	98"	53-1/2"	98-3/4"
3'0"	8'0"	1'2"	8'0"	53"	97-1/2"	53-3/4"	98"	55-1/2"	98-3/4"

SINGLE DOOR WITH TWO SIDELITES

Nominal Door Size		Nominal Sidelite Size		Door Unit Actual Size		Rough Opening Size (wood stud)		Outside Brickmould Size	
Width	Height	Width	Height	Width	Height*	Width	Height*	Width	Height*
2'6"	6'8"	10"	6'8"	54-1/2"	81-1/2"	55-1/4"	82"	57"	82-3/4"
2'6"	6'8"	1'0"	6'8"	58-1/2"	81-1/2"	59-1/4"	82"	61"	82-3/4"
2'6"	6'8"	1'2"	6'8"	62-1/2"	81-1/2"	63-1/4"	82"	65"	82-3/4"
2'8"	6'8"	10"	6'8"	56-1/2"	81-1/2"	57-1/4"	82"	59"	82-3/4"
2'8"	6'8"	1'0"	6'8"	60-1/2"	81-1/2"	61-1/4"	82"	63"	82-3/4"
2'8"	6'8"	1'2"	6'8"	64-1/2"	81-1/2"	65-1/4"	82"	67"	82-3/4"
2'8"	8'0"	1'0"	8'0"	60-1/2"	97-1/2"	61-1/4"	98"	63"	98-3/4"
2'8"	8'0"	1'2"	8'0"	64-1/2"	97-1/2"	65-1/4"	98"	67"	98-3/4"
3'0"	6'8"	10"	6'8"	60-1/2"	81-1/2"	62-1/4"	82"	63"	82-3/4"
3'0"	6'8"	1'0"	6'8"	64-1/2"	81-1/2"	65-1/4"	82"	67"	82-3/4"
3'0"	6'8"	1'2"	6'8"	68-1/2"	81-1/2"	69-1/4"	82"	71"	82-3/4"
3'0"	8'0"	1'0"	8'0"	64-1/2"	97-1/2"	65-1/4"	98"	67"	98-3/4"
3'0"	8'0"	1'2"	8'0"	68-1/2"	97-1/2"	69-1/4"	98"	71"	98-3/4"

rough opening for units with TRANSOMS

E-65	T-65	S-65	C-38	C-64
				
Elliptical	Rectangle	Shoulder	Half Circle	Full Circle
Add 15-3/4" to above height	Add 12-1/4" to above height	Add 17-1/2" to above height	Add 19-1/4" to above height	Add 34-3/4" to above height

Many transom shapes exist. Please see Masonite's glass price guide for a complete list with full dimensions.

All dimensions shown are for inswing doors – deduct 1-1/8" from the actual door size, the rough opening size and the outside brickmould size height for outswing handicap accessible doors. See product selection detailed in the Catalog to determine if the entry door style you have selected is available. Recommended rough openings for the FAST-FRAME® adjustable steel frame offering are different than the dimensions shown in this chart – see rough opening chart titled FAST-FRAME. Floor covering can affect rough opening heights.

*Height dimensions shown are for 79" and 95" tall doors with 1-1/4" sills, for variations adjust accordingly.

DOUBLE DOOR

Nominal Door Size		Door Unit Actual Size		Rough Opening Size (wood stud)		Outside Brickmould Size	
Width	Height	Width	Height*	Width	Height*	Width	Height*
5'0"	6'8"	62"	81-1/2"	62-3/4"	82"	64-1/2"	82-3/4"
5'4"	6'8"	66"	81-1/2"	66-3/4"	82"	68-1/2"	82-3/4"
5'4"	8'0"	66"	97-1/2"	66-3/4"	98"	68-1/2"	98-3/4"
6'0"	6'8"	74"	81-1/2"	74-3/4"	82"	76-1/2"	82-3/4"
6'0"	8'0"	74"	97-1/2"	74-3/4"	98"	76-1/2"	98-3/4"



DOUBLE (FRENCH) DOOR

	Nominal Door Size		Door Unit Actual Size		Rough Opening Size (wood stud)		Outside Brickmould Size	
	Width	Height	Width	Height*	Width	Height*	Width	Height*
	5'0"	6'8"	59-1/4"	79-1/2"	60"	80"	61-3/4"	80-3/4"
	5'0"	8'0"	59-1/4"	95-1/2"	60"	96"	61-3/4"	96-3/4"
	6'0"	6'8"	71-1/4"	79-1/2"	72"	80"	73-3/4"	80-3/4"
	6'0"	8'0"	71-1/4"	95-1/2"	72"	96"	73-3/4"	96-3/4"

TRIPLE (FRENCH) DOOR

	Nominal Door Size		Door Unit Actual Size		Rough Opening Size (wood stud)		Outside Brickmould Size	
	Width	Height	Width	Height*	Width	Height*	Width	Height*
	9'0"	6'8"	107-5/16"	79-1/2"	108-1/16"	80"	109-13/16"	80-3/4"

DOUBLE (CENTER-SWING) DOOR

	Nominal Door Size		Door Unit Actual Size		Rough Opening Size (wood stud)		Outside Brickmould Size	
	Width	Height	Width	Height*	Width	Height*	Width	Height*
	5'0"	6'8"	60-3/16"	79-1/2"	60-15/16"	80"	62-2/3"	80-3/4"
	5'0"	8'0"	60-3/16"	95-1/2"	60-15/16"	96"	62-2/3"	96-3/4"
	6'0"	6'8"	72-3/16"	79-1/2"	72-15/16"	80"	74-2/3"	80-3/4"
	6'0"	8'0"	72-3/16"	95-1/2"	72-15/16"	96"	74-2/3"	96-3/4"

TRIPLE (CENTER-SWING) DOOR

	Nominal Door Size		Door Unit Actual Size		Rough Opening Size (wood stud)		Outside Brickmould Size	
	Width	Height	Width	Height*	Width	Height*	Width	Height*
	9'0"	6'8"	108-1/4"	79-1/2"	109"	80"	110-3/4"	80-3/4"

All dimensions shown are for inswing doors—deduct 1-1/4" from the actual door unit height, the rough opening height and the outside brickmould height for outswing doors. Floor covering can affect rough opening heights. All dimensions listed have a tolerance of +/- 3/16". Complete list of rough opening sizes available at Masonite.com

Masonite®

Patio & flush-glazed doors




FLUSH-GLAZED BELLEVILLE® with Piedmont® glass

Masonite® Patio System Elegant Designs, Certified Performance

Awe inspiring views and ample natural light are just on the other side of the wall. Why not let them in with a touch of style and a heap of energy saving, dependable performance.

Masonite® Patio door system features rich options such as: SpectraWeld® designer glass, flush-glazed fiberglass door panels, and premium frame components to make the ultimate passage from your home to the outdoors.



Upgrade to Flush-Glazed Fiberglass Door Panels More View, Less Maintenance

Wider Viewing Area

- 2'8" and 3'0" full lite units are available with up to a 20% wider viewing area

Less Maintenance

- Compact profile holds less dust than conventional frames
- Simple profile is also easier to clean
- Fiberglass door panels will not dent or rust

Outstanding Aesthetics



- No screw holes or plugs
- Clean, simple glazing profile

Less Inventory


- Masonite's full lite flush glazed system allows for field assembly, so less inventory is required



How we build our patio system




1 Composite Backed Sills
A key to preventing water intrusion is properly sealing the bottom of the sill to the foundation. Our composite material will not rot and makes proper installation easy.



4 Weather Tight
Compression weather stripping seals the edges of the doors and helps prevent water and air infiltration. Composite bottom door rail with sweep will not rot and fends off drafts.



2 Premium Frames
Optional full composite jambs are pre-finished white, never rot and are maintenance free. Wood frames are available as an option.



5 Premium Construction
Continuous head and sill construction maximizes the stability and rigidity of the assembled system while eliminating potential sources for water intrusion. Mull boots ease installation and keep components above potential water.



3 Astragal
Premium thermal astragals with locking flush bolts and durable rubber boots seal off the elements with the performance to fit almost any application.



6 180° Open System*
Specially designed hinging system allows fiberglass doors to open up a full 180° and fold flat against your home, creating more space.

Components shown and described are representative examples.

*Available in fiberglass only.

elegant patio designs

The Masonite patio door collection features SpectraWeld® technology on select decorative glass panels. This unique system utilizes revolutionary composite material that bonds to the glass and simulates coming without the associated limitations such as panel size, air infiltration, weight and rattling.

Masonite patio systems are available for sale as NFRC certified units in fully assembled or knock-down kits, with Low-E configurations. Door panels are also available in standard and flush-glaze configurations.

The designer collection comes standard with Low-E glass to make the system more energy efficient in both the summer and winter.





Image enhanced to show subtle design details; see side photography for best representation.

TRELLA®glass



Inspired by the gentle arches of a trellis, this unique design frames your beautiful deck, garden, or patio vista and creates an inviting passage to your home or outdoor living area.

configuration options



LOW-E IS STANDARD





Image enhanced to show subtle design details; see side photography for best representation.

MONDRIAN®glass



SpectraWeld® and a light ceramic coating are used to create a cubist pattern that is balanced and symmetrical. This universal design is equally at home in a variety of settings including urban, southwest, and modern motifs.

configuration options



LOW-E IS STANDARD

JASMINE® glass

Gentle creeping etched vines entangle around a light pattern to create an opulent gateway to your outdoor retreat.




Image enhanced to show subtle design details; see side photography for best representation.

PIEDMONT® glass

An elegant border encases your new patio doors bringing sophistication and elegance without overpowering your view of the outdoors.





Image enhanced to show subtle design details; see side photography for best representation.

CENTENNIAL 15® glass

The classic leaded 15 pane glass design has been upgraded to be more quiet, energy efficient, and durable through the use of our SpectraWeld® technology.





Image enhanced to show subtle design details; see side photography for best representation.

traditional patio designs



INTERNAL mini-blinds

Our raise / lower mini-blinds are easy to use and maintain. With a quick adjustment you can go from clear views to complete privacy, and the blinds never need to be cleaned.

configuration options



LOW-E IS
STANDARD

10lites



15lites



10 & 15 Lites

Our 10 and 15 lite units are available in internal and external* grid configurations. Vented sidelites are available.

configuration options



(10L shown)



LOW-E IS
STANDARD

*external grids only available in standard glazed systems.

PRAIRIE



ONE LITE & LOW-E clear





Prairie

Our SDL internal bars are used to create a 9 lite prairie style design

Clear and Low-E Clear

Tempered clear glass features a Low-E coating that reflects heat out of the home in the summer and locks in heat during the winter. Vented sidelites are available.

configuration options



LOW-E IS
STANDARD

patio door options

	FIBERGLASS		STEEL
	OAK TEXTURED	BELLEVILLE® SMOOTH	STEEL
	 Mix and match high-performing natural woodgrain textured door designs with your choice of decorative glass.	 Sleek look with a variety of door and glass options to choose from, engineered for performance.	 Hot dipped galvanized steel offers superior corrosion resistance and performance.
Wood Door Authenticity	★★★ Fine	★★★ Fine	★★ Good
Woodgrain Texture	Traditional oak	Smooth	Smooth
Edge (Stile) Construction	True square-edge	True square-edge	Interlocking
Edge (Stile) Material	Stainable/paintable	Paintable	Paintable
Finish Options	Stain or paint	Paint	Paint
Durability & Performance	25 years†	25 years†	5 years†
Composite Bottom Rail	✓	✓	✓
Rust Proof	✓	✓	
Dent Proof	✓	✓	
 ENERGY STAR*	✓	✓	✓
Glazing Options	Flush/Standard	Flush/Standard	Standard
Glass Designs	11+	11+	11+
Glazing Assembly	Traditional glazing inserts	Traditional glazing inserts	Traditional glazing inserts

DOOR MATERIAL CHOICES

Flush-Glazed Door Specifications			
Door Material	OAKCRAFT® TEXTURED	BELLEVILLE® SMOOTH	
Facing Color	White	White	
Height Options	6'8", 8'0"	6'8", 8'0"	
Panel Width	2'6"-3'0"	2'0"-3'0"	
Glass Width	20"-26"	14"-26"	
Standard Glazed Door Specifications	BELLEVILLE® OAK	BELLEVILLE® SMOOTH	STEEL
Facing Color	Tan	White	White
Height Options	6'8", 8'0"	6'8", 8'0"	6'8", 8'0"
Panel Width	2'6"-3'0"	2'6"-3'0"	2'6"-3'0"
Glass Width	20"-22"	20"-22"	20"-22"

GENERAL DOOR SPECIFICATIONS

Patio Configuration Options					
Patio Configurations	Vented Sidelite (Single or Double)	Single Door	Double Door	Triple Door	Quad Door†
Heights	6'8"	6'8", 8'0"	6'8", 8'0"	6'8", 8'0"	6'8", 8'0"
Widths	13", 16"	2'0"-3'0"	4'0"-6'0"	6'0"-9'0"	8'0"-12'0"
Hinge Options	L,R	L,R	FR, CE	FR, CE	FR, CE
Swing	IS	IS, OS	IS, OS	IS, OS	IS, OS

CONFIGURATION OPTIONS

*A critical component of an ENERGY STAR qualified entryway.

‡Continuous head and sill construction available to 9' width.


†All warranties are limited.

how to measure your door



What To Know & What to Do

There is no 'industry standard' for door sizing, so follow these steps carefully. Measuring your door and determining your door handing is very important to ensure the best fit for your opening. For best results have a pro measure your opening and get it installed.



Step 1 & 2

Step 1. Measure the width of your existing door slab.

This is the edge of one side of the door slab to the edge of the other side of the door slab. (A)

Step 2. Measure the height of your existing door slab.

This is the top edge of the door slab to the bottom edge of the door slab. Do not include the sweep on the bottom of the door. (B)

Step 3. Measure the jamb depth of your existing door.

This is the inside edge of the door jamb to the outside edge of the door jamb (area where hinges are). Do not include any trim in this measurement.

Step 4. Determine the handing of your existing door.

- A) All handing must be done from the exterior of the door. Looking at your door from the outside, your door swings.

 - ☐ A - Into the house (inswing)
 - ☐ B - Out of the house (outswing)
- C) Select the combination below to determine the proper handing of your door.

 - ☐ AA - Right-Hand Inswing
 - ☐ AB - Left-Hand Inswing
 - ☐ BA - Left-Hand Outswing
 - ☐ BB - Right-Hand Outswing
- B) Looking at your door from the outside, your door knob is:

 - ☐ A - On the left side of the door
 - ☐ B - On the right side of the door

Step 5. Final calculations of your existing door.


To find the estimated size of your existing unit, use these calculations below.

Width	For Inswing Units	For Outswing Units
Measurement A		
Add For Jamb	1-3/4"	1-3/4"
Total Unit Width		
Height		
Measurement B		
Add For Jamb	2-1/2"	1-5/8"
Total Unit Height		

Door handing chart for Masonite Entry & Patio doors

INSWING

OUTSWING




LEFT HAND




RIGHT HAND

DOORS PICTURED ABOVE ASSUME YOU ARE STANDING ON THE OUTSIDE OF THE BUILDING.




RIGHT HAND




LEFT HAND

DOORS PICTURED ABOVE ASSUME YOU ARE STANDING ON THE OUTSIDE OF THE BUILDING.


Single door




EXTERIOR LEFT-HAND INSWING



EXTERIOR RIGHT-HAND INSWING




EXTERIOR RIGHT-HAND OUTSWING




EXTERIOR LEFT-HAND OUTSWING


Single door with left-hand sidelite




EXTERIOR LEFT-HAND HINGE SIDE



EXTERIOR RIGHT-HAND LOCK SIDE




EXTERIOR RIGHT-HAND HINGE SIDE




EXTERIOR LEFT-HAND LOCK SIDE


Single door with right-hand sidelite




EXTERIOR LEFT-HAND LOCK SIDE



EXTERIOR RIGHT-HAND HINGE SIDE




EXTERIOR RIGHT-HAND LOCK SIDE




EXTERIOR LEFT-HAND HINGE SIDE


Single door with double sidelites




EXTERIOR LEFT-HAND INSWING



EXTERIOR RIGHT-HAND INSWING




EXTERIOR RIGHT-HAND OUTSWING




EXTERIOR LEFT-HAND OUTSWING


French double doors




EXTERIOR LEFT-HAND INSWING



EXTERIOR RIGHT-HAND INSWING




EXTERIOR RIGHT-HAND OUTSWING




EXTERIOR LEFT-HAND OUTSWING


French double doors with double sidelites




EXTERIOR LEFT-HAND INSWING



EXTERIOR RIGHT-HAND INSWING




EXTERIOR RIGHT-HAND OUTSWING




EXTERIOR LEFT-HAND OUTSWING


Center-swing double doors*




EXTERIOR LEFT-HAND INSWING



EXTERIOR RIGHT-HAND INSWING




EXTERIOR RIGHT-HAND OUTSWING




EXTERIOR LEFT-HAND OUTSWING


Triple French doors*




EXTERIOR LEFT-HAND INSWING



EXTERIOR RIGHT-HAND INSWING




EXTERIOR RIGHT-HAND OUTSWING




EXTERIOR LEFT-HAND OUTSWING


Center-swing triple doors*




EXTERIOR LEFT-HAND INSWING



EXTERIOR RIGHT-HAND INSWING



EXTERIOR RIGHT-HAND OUTSWING



EXTERIOR LEFT-HAND OUTSWING

Active Doors

Inactive Doors

Fixed Doors








Complete list of handing options
available at Masonite.com
*Typically a patio configuration




Masonite® fiberglass DOORS




selection & style


BARRINGTON® TRADITIONAL fiberglass door series

														
	8 P PARLIAMENT WITH ROUND-TOP GLASS		1 P WITH FULL OVAL GLASS		2 P WITH 3/4 OVAL GLASS		2 P WITH 3/4 RECTANGULAR GLASS		3 P WITH 1/2 CAMBER-TOP GLASS		SIDELITE WITH FULL GLASS		SIDELITE WITH 3/4 GLASS	
	BAR		BAR		BAR & BRM		BAR & BRM		BAR		BAR		BAR & BRM	
6'8"	3'0"		3'0"		3'0"		3'0"		3'0"		1'0", 1'2"		1'0", 1'2"	
8'0"	3'0", 3'6"				3'0", 3'6"		3'0", 3'6" (Oak only)		3'0", 3'6"		1'0", 1'2"		1'0", 1'2"	
glass option	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"	6'8"	8'0" (oak only)	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"
BR2 glass	204-BR2	205-BR2	301-BR2		303-BR2	302-BR2	405-BR2	123-BR2	411-BR2	412-BR2	154-BR2	853-BR2	451-BR2	153-BR2
BR3 glass	204-BR3	205-BR3	301-BR3		303-BR3	302-BR3	405-BR3	123-BR3	411-BR3	412-BR3	154-BR3	853-BR3	451-BR3	153-BR3
BR4 glass					303-BR4	302-BR4	405-BR4	123-BR1	411-BR4	412-BR4	154-BR4	853-BR4	451-BR4	153-BR4
CB1 glass					303-CB1		405-CB1		411-CB1				451-CB1	

											custom glass options ■ BR2 antique black caming ■ BR3 platinum caming ■ BR4 antique black caming* (not available for 3'6") ■ CB1 clear beveled Clear transoms are available
compatible door unit sizes	CIRCULAR TRANSOM										
BR2 transoms	SHOULDER TRANSOM										
BR3 transoms	ELLIPTICAL TRANSOM										
BR4 transoms	RECTANGULAR TRANSOM										
	1'0"- 3'0"- 1'0" & 1'2"- 3'0"- 1'2"								3'0"		
			S-900		E-900		T-900		C38-900		
	C-725		S-725		E-725		T-725		C38-725		

BARRINGTON® CRAFTSMAN fiberglass door series

				compatible door unit sizes BC4 transoms BC5 transoms Clear transoms are available			
	CRAFTSMAN 3 P	CRAFTSMAN SIDELITE					
	BRC & BCM	BRC & BCM	BRC & BCM				
6'8"	3'0"		1'0", 1'2"				
dentil shelf kit	option shown						
SDL kit		option shown		custom glass options ■ CBT 3 lite beveled door 1 lite beveled sidelite ■ BC4 antique black caming ■ BC5 antique black caming ■ CBH 6 lite beveled door 2 lite beveled sidelite ■ BS1 clear glass ■ LEA Low-E argon-filled clear glass			
CBT glass	226-CBT		610-CBT				
BC4 glass	226-BC4		610-BC4				
BC5 glass	226-BC5		610-BC5				
CBH glass	226-CBH		610-CBH				
BS1 glass	226-BS1 *	226-BS1 *	610-BS1 *				
				*Note: Upgrade BS1 clear glass to Low-E and argon-filled (LEA) to increase thermal performance and savings.			



BARRINGTON®
Fiberglass Entry Doors

BELLEVILLE®
Fiberglass Entry Doors

BARRINGTON® SIERRA® & FLAGSTAFF® fiberglass door series

	2 P CAMBER-TOP	2 P PLANK CAMBER-TOP	2 P CAMBER-TOP ARCH-TOP	2 P PLANK CAMBER-TOP ARCH-TOP	1 P PLANK CAMBER-TOP	1 P PLANK CAMBER-TOP ARCH-TOP	FLAGSTAFF PLANK	SIDELITE WITH FULL GLASS
	BSN	BSP	BSN	BSP	BSP	BSP	BFS	BSN
6'8"	3'0"	3'0"	3'0"	3'0"	3'0"	3'0"	3'0"	1'0", 1'2"
8'0"	3'0", 3'6"	3'0", 3'6"	3'0", 3'6"	3'0", 3'6"	3'0", 3'6"	3'0", 3'6"	3'0", 3'6"	1'0", 1'2"
fire door option	3'0"	3'0"			3'0"		3'0"	
plank feature	no plank	plank	no plank	plank	plank	plank	plank	
sidelite custom glass options ■ BR2 antique black caming ■ BS1 clear glass ■ Iron Springs 918 wrought iron caming ■ BR3 platinum caming ■ Pear 116 textured glass ■ LEA Low-E Argon filled clear glass								

BELLEVILLE® OAK TEXTURED fiberglass door series

	FLUSH	1 P ARCH	2 P SQUARE	2 P CRAFTSMAN	3 P ARCH-TOP	4 P BLANK-TOP	4 P NEW ENGLAND	6 P BLANK-TOP
	BLT	BLT	BLT	BLT	BLT	BLT	BLT	BLT
6'8"	2'0", 2'6", 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"
7'0"	2'0", 2'6", 2'8", 2'10", 3'0"							
8'0"	2'6", 2'8", 2'10", 3'0"		2'8", 2'10", 3'0"					
fire door option	2'0", 2'6", 2'8", 2'10", 3'0"		2'8", 2'10", 3'0"				2'8", 2'10", 3'0"	
glass sizes	120, 122, 300, 810	306	106, 404	215	304, 404	106, 107, 135, 137, 228	106	106, 107, 135, 137, 228
	6 P	6 P CAMBER-TOP*	8 P PARLIAMENT	SIDELITE WITH FULL GLASS	SIDELITE WITH 3/4 GLASS	CRAFTSMAN SIDELITE	SIDELITE WITH 1/2 GLASS	
	BLT	BLT	BLT	BLT	BLT	BLT	BLT	
6'8"	2'6", 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'10", 3'0"	1'0", 1'2"	1'0", 1'2"	1'0", 1'2"	1'0", 1'2"	
7'0"	2'8", 2'10", 3'0"			1'0", 1'2"				
8'0"	2'6", 2'8", 2'10", 3'0"		2'10", 3'0"	1'0", 1'2"	1'0", 1'2"		1'0", 1'2"	
fire door option	2'8", 2'10", 3'0"							
glass sizes	106, 120, 122, 228, 404, 810	137, 228	201, 203	151, 152, 852	151, 450	615	129, 450	

† Features narrow panel layout. *6 panel camber-top features a straight-grain hardwood texture.



🔥 Available as 20-minute Warnock-Hersey® listed fire door (features an engineered solid core).




Masonite® fiberglass DOORS


selection & style

BELLEVILLE® MAHOGANY TEXTURED fiberglass door series

							
	HOLLISTER 2 P	CHEYENNE† 2 P PLANK	6 P	8 P PARLIAMENT	SIDELITE WITH FULL GLASS	SIDELITE WITH 1/2 GLASS	SIDELITE WITH 3/4 GLASS
	BMT	BMT	BMT	BMT	BMT	BMT	BMT
6'8"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'10", 3'0"	1'0", 1'2"	1'0", 1'2"	1'0", 1'2"
7'0"							
8'0"	2'8", 2'10", 3'0"		2'8", 2'10", 3'0", 3'6"		1'0", 1'2"	1'0", 1'2"	1'0", 1'2"
🔥 firedoor option		3'0"	3'0"				
glass sizes	122, 304, 306, 404	106, 107	106, 122, 228, 404, 810	203	151, 152, 852	129, 450	151, 450

BELLEVILLE® FIR TEXTURED fiberglass door series

							
	HOLLISTER 2 P	CRAFTSMAN 2 P	6 P	SIDELITE WITH FULL GLASS	CRAFTSMAN SIDELITE	SIDELITE WITH 3/4 GLASS	SIDELITE WITH 1/2 GLASS
	BFT	BFT	BFT	BFT	BFT	BFT	BFT
6'8"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	1'0", 1'2"	1'0", 1'2"	1'0", 1'2"	1'0", 1'2"
7'0"							
8'0"							
🔥 firedoor option			2'8", 2'10", 3'0"				
glass sizes	304, 404	215	106, 122, 228	151	615	450	129



BELLEVILLE®
Fiberglass Entry Doors

Oakcraft®
Wood-grain Textured
FIBERGLASS ENTRY DOORS

BELLEVILLE® SMOOTH fiberglass door series

	FLUSH BLS	2 P SQUARE BLS	2 P ROMAN* BLS	2 P HOLLISTER BLS	CHEYENNE 2 P PLANK BLS	3 P ARCH-TOP BLS	CRAFTSMAN 2 P BLS	4 P BLANK-TOP BLS
6'8"	2'0", 2'6", 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"
7'0"	2'0", 2'6", 2'8", 2'10", 3'0"							
8'0"	2'0", 2'6", 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"			
🔥 fire door option	2'0", 2'6", 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"		2'8", 2'10", 3'0"			
glass sizes	120, 122, 300, 810	106, 404	106, 404	122, 304, 306, 404	106, 107, 404	304, 404	215	106, 107, 135, 137, 228

	4 P NEW ENGLAND BLS	6 P BLANK-TOP BLS	6 P BLS	6 P CAMBER-TOP BLS	8 P PARLIAMENT BLS	SIDELITE W/ FULL GLASS BLS	SIDELITE W/ 3/4 GLASS BLS	CRAFTSMAN SIDELITE BLS	SIDELITE W/ 1/2 GLASS BLS
6'8"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'6", 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'10", 3'0"	10", 1'0", 1'2"	1'0", 1'2"	1'0", 1'2"	1'0", 1'2"
7'0"			2'8", 2'10", 3'0"			10", 1'0", 1'2"			
8'0"			2'6", 2'8", 2'10", 3'0"		2'10", 3'0"	1'0", 1'2"	1'0", 1'2"		1'0", 1'2"
🔥 fire door option	2'8", 2'10", 3'0"		2'8", 2'10", 3'0"						
glass sizes	106	106, 107, 135, 137, 228	106, 120, 122, 228, 404, 810	137, 228	201, 203	151, 152, 852	151, 450	615	129, 450

OAKCRAFT® fiberglass door series

	FLUSH OAK	3 P ARCH-TOP OAK	4 P BLANK-TOP OAK	4 P NEW ENGLAND OAK	6 P OAK	9 P OAK	SIDELITE WITH FULL GLASS OAK	SIDELITE WITH 3/4 GLASS OAK	SIDELITE WITH 1/2 GLASS OAK
6'8"	2'0", 2'6", 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'6", 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	10", 1'0", 1'2"	1'0", 1'2"	1'0", 1'2"
7'0"	2'0", 2'6", 2'8", 2'10", 3'0"						10", 1'0", 1'2"		1'0", 1'2"
8'0"	2'0", 2'6", 2'8", 2'10", 3'0"				2'6", 2'8", 2'10", 3'0"		10", 1'0", 1'2"		1'0", 1'2"
🔥 fire door option	2'0", 2'6", 2'8", 2'10", 3'0"				2'8", 2'10", 3'0"				
glass sizes	120, 122, 300, 810	304, 404	106, 107, 135, 137, 228	106, 107, 135, 137, 228	106, 120, 122, 228, 404	136	151, 152, 852	450	129, 450

species BMT Belleville® Mahogany Textured BFT Belleville® Fir BLS Belleville® Smooth OAK Oakcraft®














* Bottom rail meets accessibility requirements.








Masonite® steel DOORS




selection & style

MASONITE® HIGH-DEFINITION steel door series

										
	FLUSH	1 P ARCH	2 P SQUARE	2 P ROMAN	2 P PLANK CAMBER-TOP	2 P W/ 23 X 65 C/O	HOLLISTER 2 P	CRAFTSMAN 3 P	3 P EQUAL	3 P ARCH-TOP
	MHD	MHD	MHD	MHD	MHD	MHD	MHD	MHD	MHD	MHD
6'8"	2'0", 2'6", 2'8", 2'10", 3'0", 3'6"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"		2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"
7'0"	2'0", 2'6", 2'8", 2'10", 3'0"		3'0"		3'0"		3'0"		3'0"	
8'0"	2'0", 2'6", 2'8", 2'10", 3'0"					2'8", 2'10", 3'0"				
🔥 fire door option	2'0", 2'6", 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"		2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"
glass sizes	120, 122, 300, 810	306	106	106, 107	106, 107	122	404	215	217	304, 404
										
	4 P BLANK-TOP	4 P NEW ENGLAND	6 P	8 P PARLIAMENT	9 P CAMBER-TOP	FLUSH SIDELITE	1 P SIDELITE W/ 9 X 65 C/O	2 P UNIVERSAL SIDELITE	CRAFTSMAN & HOLLISTER SIDELITE	3 P SIDELITE
	MHD	MHD	MHD	MHD	MHD	MHD	MHD	MHD	MHD	MHD
6'8"	2'6"†, 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'6"†, 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	10", 1'0", 1'2"		1'0", 1'2"	1'0", 1'2"	
7'0"	2'6"†, 2'8", 2'10", 3'0"		2'6"†, 2'8", 2'10", 3'0"			1'0", 1'2"				1'0", 1'2"
8'0"			2'8", 2'10", 3'0"			10", 1'0", 1'2"	1'0", 1'2"			1'0", 1'2"
🔥 fire door option		2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"					
glass sizes	106, 107, 135, 137	106	106, 120 122, 404, 810	203	136	151, 152, 852	151	129, 450	615, 450	450, 852

MASONITE® STA-TRU® HD steel door series

									
	FLUSH	1 P ARCH	2 P ROMAN	2 P PLANK CAMBER-TOP	HOLLISTER ST 2 P	CRAFTSMAN 3 P	3 P EQUAL	3 P ARCH-TOP	4 P BLANK-TOP
	SHD	SHD	SHD	SHD	SHD	SHD	SHD	SHD	SHD
6'8"	2'0", 2'6", 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'6"†, 2'8", 2'10", 3'0"
7'0"	2'0", 2'6", 2'8", 2'10", 3'0"			3'0"	3'0"		3'0"		2'6"†, 2'8", 2'10", 3'0"
8'0"	2'6", 2'8", 2'10", 3'0"								
 fire door option	2'0", 2'6", 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"		
glass sizes	120, 122, 300, 810	306	106, 107	106, 107	404	215	217	304, 404	106, 107, 135, 137

								
	4 P NEW ENGLAND	6 P	8 P PARLIAMENT	9 P CAMBER-TOP	FLUSH SIDELITE	2 P UNIVERSAL SIDELITE	CRAFTSMAN & HOLLISTER SIDELITE	3 P SIDELITE
	SHD	SHD	SHD	SHD	SHD	SHD	SHD	SHD
6'8"	2'8", 2'10", 3'0"	2'6"†, 2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	10", 1'0", 1'2"	1'0", 1'2"	1'0", 1'2"	
7'0"		2'6"†, 2'8", 2'10", 3'0"			1'0", 1'2"			1'0", 1'2"
8'0"		2'8", 2'10", 3'0"			10", 1'0", 1'2"			1'0", 1'2"
 fire door option	2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"	2'8", 2'10", 3'0"				
glass sizes	106	106, 120, 122, 404, 810	203	136	151, 152, 852	129, 450	615, 450	450, 852

MASONITE® UTILITY steel door series

					
	FLUSH	4 P BLANK-TOP	6 P	FLUSH SIDELITE	2 P SIDELITE
	MUS	MUS	MUS	MUS	MUS
6'8"	2'6", 2'8", 2'10", 3'0"	2'6"†, 2'8", 2'10", 3'0"	2'6"†, 2'8", 2'10", 3'0"	10", 1'0", 1'2"	1'0", 1'2"
7'0"					
8'0"					
glass sizes	120, 122, 300	106, 107, 135, 137	106, 120, 122	151, 152	129



Masonite Stain Kit

textured woodgrain doors



Staining your fiberglass entry system has never been easier. The fiberglass staining kit from Masonite comes with everything you need to achieve a high-quality finish.

BARRINGTON®
Fiberglass Entry Doors

BELLEVILLE®
Fiberglass Entry Doors

Oakcraft®
Wood-grain & Textured
FIBERGLASS ENTRY DOORS

Complete Stain Kit



- ZAR® exterior water-based polyurethane (Qt.)
- ZAR wood stain (Pt.)
- mineral spirits (4 oz.)
- one synthetic bristle brush (2-1/2")
- two foam brushes (2")
- two stir sticks
- one pair of latex gloves
- cheese cloths
- door staining instructions



Choose Your Stain

	Cherry	Danish Walnut	Early American	Fruitwood	Teak Natural	Dark Mahogany
light						
medium						
dark						

Masonite Tested

Masonite has tested many competing stain and topcoat systems for ease of application, finish quality, and durability, and highly recommends the ZAR system.

Conveniently Packaged

For your convenience we have pre-packaged all the supplies you need to finish your Barrington, Belleville, or Oakcraft door into one convenient kit.

Beautiful Finish

Choose from six distinct colors and customize the shade of your door from light to dark to suit your needs. Finish the project by applying the UV resistant clear satin polyurethane for years of protection and beauty.

Stain colors are approximate and may vary in actuality to printed materials.

Glass Features

Thermal Performance

- 1 Premium decorative glass features energy efficient triple pane construction.
- 2 Clear glass options feature warm edge technology with upgrades into Low-E or Low-E argon filled construction possible on most items.

Certified Construction


- 3 All Masonite decorative glass and over 99% of standard glass options have been tested and certified in accordance to ASTM E 2190 for seal durability. Insulated Glass (IG) certification is required for NFRC certification and ENERGY STAR qualification.

Reinforced Spacer

- 4 Masonite has upgraded its decorative construction to include composite back bedding on large units providing additional support to the decorative core for extreme reliability.

Dependable Frames

- 5 Our Centurion® frames won't discolor in UV exposure and remain stable in high-heat applications. We also offer a paintable/stainable frame in almond or mahogany on select frames.



glass shape options for doors displayed

flush			1 panel arch		2 panel square-top			2 panel roman		Cheyenne 2 panel plank camber-top				Hollister 2 panel			
BMT																	
BLT	•	•	•	•	•	•					•	•		•	•	•	•
BFT														•	•		
BLS	•	•	•			•			•		•	•	•	•	•	•	•
OAK	•	•	•											•	•		•
SHD	•	•	•	•				•	•	•	•	•			•		
MHD	•	•	•	•	•	•		•	•	•	•	•			•		

Craftsman		3 panel equal		3 panel arch-top			4 panel blank-top					4 p New England		6 panel blank-top				
BMT																		
BLT	•			•	•		•	•	•	•	•	•		•	•	•	•	•
BFT	•																	
BLS	•			•	•		•	•	•	•	•	•		•	•	•	•	•
OAK				•	•		•	•	•	•	•	•						
SHD	•	•	•	•	•	•	•	•	•	•	•	•						
MHD	•	•	•	•	•	•	•	•	•	•	•	•						

6 panel					6 panel camber-top			8 panel Parliament			9 panel	
BMT	•	•	•	•				•	•			
BLT	•	•	•	•		•	•					
BFT	•	•	•	•								
BLS	•	•	•	•		•	•	•	•			
OAK	•	•	•	•							•	
SHD	•	•	•	•				•	•		•	
MHD	•	•	•	•				•	•		•	

- species
- BMT Belleville® Mahogany Textured
 - BLT Belleville® Oak Textured
 - BFT Belleville® Fir Textured
 - BLS Belleville® Smooth
 - OAK Oakcraft®
 - SHD Sta-Tru® HD Steel
 - MHD Masonite® HD Steel

See page 39 for glass index.
Door thumbnails have been generalized.

AVAILABLE CAMING TYPES



PRIVACY RATING



glass series availability																	
Glass Name	Glass Code	Caming	Privacy Rating	106 22" x 36"	107 22" x 37-1/2" roman	122 22" x 64"	135 22" x 10" fan	136 7-1/2" x 18-1/2"	137 22" x 10" camber-top	203 8" x 42" round-top	215 22" x 16"	217 22" x 17"	228 22" x 10"	300 20" x 57" oval	304 16" x 40" 3/4 oval	306 15" x 55" oval	404 22" x 48"
Alston®	338	AB	7	106-338	107-338	122-338			137-338						304-338		404-338
Aria®	455	CS	8	106-455		122-455											404-455
Aurora™	207	P	7	106-207		122-207				203-207				300-207	304-207		404-207
Brise®	269	SC	7	106-269													404-269
Cuzco®	364	AB	8	106-364		122-364							228-364				404-364
Element®	328	AB	6	106-328	107-328	122-328			137-328		215-328	217-328					404-328
Georgian™	515	B	7	106-515	107-515	122-515		136-515						300-515	304-515	306-515	404-515
	517	P	7	106-517	107-517	122-517		136-517						300-517	304-517	306-517	404-517
	518	AB	7	106-518													
Glaze®	430	B	1	106-430		122-430	135-430										
	433	P	1	106-433		122-433	135-433										
Iron Springs®	918	W	8	106-918		122-918											404-918
Kordella®	686	AB	8	106-686		122-686							228-686				404-686
Madrid®	900	AB	4	106-900	107-900	122-900	135-900		137-900	203-900			228-900	300-900	304-900	306-900	404-900
Marquise®	777	B	7	106-777		122-777	135-777			203-777				300-777	304-777	306-777	404-777
	778	P	7	106-778		122-778	135-778			203-778				300-778	304-778	306-778	404-778
	779	AB	7	106-779		122-779								300-779	304-779		404-779
Mondrian®	833	SW	8	106-833		122-833											404-833
Naples®	366	AB	8	106-366		122-366				203-366	215-366	217-366	228-366				404-366
Panama®	724	B	6	106-724		122-724	135-724			203-724				300-724	304-724	306-724	404-724
	725	P	6	106-725		122-725	135-725			203-725				300-725	304-725	306-725	404-725
Quattro®	957	W	8	106-957		122-957											404-957
Rockland®	566	AB	6	106-566	107-566	122-566			137-566								404-566
Sienna®	817	W	8	106-817	107-817	122-817											404-817
Woodbridge®	442	B	7			122-442			137-442				228-442	300-442	304-442	306-442	404-442
	443	P	7			122-443			137-443				228-443	300-443	304-443	306-443	404-443
	537	P	7			122-537											404-537
Clear Lites	010	-	0	106-010	107-010	122-010	135-010	136-010	137-010		215-010	217-010	228-010	300-010	304-010	306-010	404-010
Chord	115	-	7	106-115		122-115					215-115		228-115				404-115
Pear	116	-	8	106-116		122-116			137-116		215-116	217-116	228-116				404-116


										
aqua glass	clear beveled glass	clear swirl glass	dark grey beveled	glue chip beveled glass	glue chip glass	granite beveled glass	granite glass	grey beveled glass	grey swirl glass	mistlite glass

Masonite door specie availability

																						
code	106-1	106-1P	106-2	106-3	107-1	107-1P	107-2	107-3	122-X	135-4	135-6	136-8	137-3	137-4	137-6	203-7	215-2	217-2	228-3	228-4	228-6	300-X
BMT		•	•			•			•	•	•			•	•	•	•		•	•	•	•
BLT	•		•	•			•	•	•	•	•		•	•	•	•	•		•	•	•	•
BFT			•						•											•		
BLS	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•		•	•	•	•
OAK			•				•	•	•	•		•		•						•		•
SHD		•	•			•	•		•	•		•		•		•	•	•		•		•
MHD	•	•	•		•	•	•		•	•		•		•		•	•	•		•		•


*MHD doors are available with Wood-Edge or Steel-Edge construction. *Wood-Edge sidelites are utilized on all MHD door units. ■ Glass shape may appear smaller in 8' door.

species **BMT** Belleville® Mahogany Textured **BLT** Belleville® Oak Textured **BFT** Belleville® Fir Textured **BLS** Belleville® Smooth **OAK** Oakcraft® **SHD** Sta-Tru® HD Steel **MHD** Masonite® HD Steel

													
129 8" x 36"	151 8" x 64"	152 7" x 64"	450 8" x 48"	615 8" x 16"	201 8" x 58" round-top	810 22" x 80"	852 8" x 80"	C half circle transom	S shoulder transom	E elliptical transom	T rectangular transom	C38 half circle transom	A48 48" x 48" accent window
129-338	151-338	152-338	450-338								T-338		
129-455		152-455	450-455										
129-207	151-207	152-207	450-207								T-207		
129-269			450-269										
129-364	151-364	152-364	450-364										
129-328	151-328	152-328	450-328	615-328					S-328		T-328		
129-515	151-515	152-515	450-515					C-645	S-645	E-645	T-645	C38-645	
129-517	151-517	152-517	450-517					C-646	S-646	E-646	T-646	C38-646	
129-518								C-647	S-647	E-647	T-647	C38-647	
129-430	151-430	152-430											
129-433	151-433	152-433											
129-918	151-918	152-918	450-918			810-918	852-918						
129-686	151-686	152-686	450-686										
129-900	151-900	152-900	450-900		201-900	810-900	852-900		S-900	E-900	T-900	C38-900	
129-777	151-777	152-777	450-777		201-777			C-645	S-645	E-645	T-645	C38-645	A48-645
129-778	151-778	152-778	450-778		201-778	810-778	852-778	C-646	S-646	E-646	T-646	C38-646	A48-646
129-779	151-779	152-779	450-779					C-647	S-647	E-647	T-647	C38-647	A48-647
129-833		152-833	450-833										
129-366	151-366	152-366	450-366	615-366		810-366	852-366				T-366		A48-366
129-724	151-724	152-724	450-724		201-724	810-724	852-724	C-724	S-724	C-724	T-724	C38-724	
129-725	151-725	152-725	450-725		201-725	810-725	852-725	C-725	S-725	C-725	T-725	C38-725	
129-957	151-957	152-957	450-957								T-957		
129-566	151-566	152-566	450-566										
129-817	151-817	152-817	450-817										
129-442	151-442	152-442	450-442					C-645	S-645	E-645	T-645	C38-645	
129-443	151-443	152-443	450-443					C-646	S-646	E-646	T-646	C38-646	
	151-537	152-537	450-537			810-537	852-537						
129-010	151-010	152-010	450-010	615-010		810-010	852-010	C-010	S-010	E-010	T-010	C38-010	
129-115	151-115	152-115	450-115	615-115									
129-116	151-116	152-116	450-116	615-116									

							
narrow reed glass	oceana glass	pear glass	seed	surf glass	white etch	wide reed glass	zipper bevel

Slight bubbles, lines and surface imperfections are all characteristics of handcrafted glass. They distinguish the light transmitted into your home, and are not to be considered defects.

																				
304-2	304-3	306-1	404-1	404-2	129-1	151-X	152-X	450-1	615-1	122-1	122-2	201-7	306-2	404-1	404-1P	404-2	810-X	151-1	450-1	852-X
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.

inspiring designs

designed with precision

At Masonite, we remain relentlessly committed to delivering product, service and design innovations that enhance beauty and functionality. These innovations create greater value for our customers throughout the world – innovations that will make your home more beautiful. Our leadership and superior products have earned us a reputation that is unsurpassed in the industry. So when it comes to quality, innovation, value, design and beauty, you can confidently put your trust in Masonite. The Beautiful Door Company



BELLEVILLE® HOLLISTER® FIR TEXTURED with Element® glass – door BFT-404-328-1



Masonite's commitment

At Masonite, employees from all parts of the Company—sales, marketing, research and development, customer service and manufacturing—understand that people love their homes. In the past, homes were purchased to meet functional needs. Today, homes are purchased to meet specific lifestyles and to satisfy the need to create multiple living environments within a single home. To meet these lifestyle needs, Masonite is continually creating new and innovative products that will make every home more beautiful, more valuable and more enjoyable. With the ultimate goal of adding beauty and value to every home, Masonite's products are designed and constructed to exacting standards and specifications. All materials—wood, fiberglass, steel or composites—are engineered and carefully selected to ensure lasting durability and performance. For individuals who are building, renovating or redecorating, Masonite products are certain to beautify and accentuate a wide array of architectural home styles.



 **Masonite®**

cover BELLEVILLE® HOLLISTER® SMOOTH with Pear glass – door BLS-404-116-1 and applied 6 lite SDL kit – sidelites BLSSL-450-116-X and applied 3 lite SDL kit

Design
your door
with

Max

Masonite Xpress ConfiguratorSM

Taking the guess work out makes buying easier. You can create your dream exterior door, then upload a picture of your own home and see what it looks like.



Connect with us

visit your Masonite sales rep.
or scan the QR code now



For full offering visit
masonite.com

For more information contact: 1-800-663-DOOR (1-800-663-3667)

9a – 5p Mon – Fri EST

www.masonite.com

Masonite®, "Masonite. The Beautiful Door.®", AvantGuard®, Barrington®, Belleville®, Cheyenne®, Fast-Frame®, Flagstaff®, Sta-Tru®, Oakcraft®, Sierra®, Hollister®, Alston®, Aria®, Aurora®, Brise®, Cuzco®, Element®, Georgian™, Glace®, Iron Springs®, Kordella®, Madrid®, Marquise®, Mondrian®, Naples®, Panama®, Quattro®, Rockland®, Sienna®, Woodbridge®, Zavalla® and SpectraWeld® are trademarks of Masonite International Corporation. Please check with your Masonite dealer or distributor for current warranty terms and conditions. Our continuing program of product improvement makes specification, design and product detail subject to change without notice. 86920129 12/13 Printed in the USA ©2013 by Masonite International Corporation

