



## DuPont™ Flashing Systems

INNOVATIVE FLASHING SYSTEMS THAT WORK TOGETHER  
TO KEEP WATER OUT OF THE HOMES YOU BUILD.



*The miracles of science™*

DuPont™

# Flashing Systems

There are many ways that water can find its way through window or door openings in a home. Windows and doors will not perform to homeowner expectations if they aren't properly flashed and leaks occur. By helping direct water to the exterior, DuPont™ Flashing Systems help protect against water damage that can occur when moisture becomes trapped in the wall system—and help prevent costly call backs. In addition, DuPont™ Flashing Systems are quick and easy to install, helping to reduce labor costs.

DuPont™ Flashing Systems work with the complete line of DuPont™ Tyvek® Weatherization Systems to seal the building envelope and help prevent water from entering through windows, doors or other points of penetration. DuPont™ Flashing Systems—including DuPont™ FlexWrap™, DuPont™ StraightFlash™ and DuPont™ StraightFlash™ VF—are specifically designed to address the unique applications of residential construction.



## DuPont™ Flashing Systems Benefits

### Superior protection from water damage

Helps completely seal the building envelope with DuPont™ Tyvek® Weatherization Systems

Helps channel water safely outside

### Excellent adhesion in all climates

Butyl adhesive performs through extreme temperatures

Adheres to most common building materials

Contains no asphalt

### Easy installation

Quick release, scored backing speeds installation

Forgiving initial tack offers easy repositioning

### Superior durability

Designed to withstand up to 120 days of UV exposure

Tough, tear resistant



## DuPont™ FlexWrap™

A FLASHING MATERIAL FOR SILLS AND CUSTOM SHAPES



DuPont™ FlexWrap™ is moldable flashing made of DuPont™ Tyvek®, elastic material, polyolefin film and a highly adhesive butyl sealant.

DuPont™ FlexWrap™ is uniquely engineered to address the issues of flashing the vulnerable bottom corners of the sill where water damage is most likely to occur. DuPont™ FlexWrap™ is wrapped into the sill rough opening before the window or door is installed, making one-step, seamless protection possible.

DuPont™ FlexWrap™ also flashes round-top or custom shaped windows in the same seamless manner, eliminating the need to slowly cut and place individual pieces of conventional flashing on an arched window opening.






## DuPont™ StraightFlash™

A FLASHING MATERIAL FOR STRAIGHT JAMBS AND HEADS

DuPont™ StraightFlash™ is made with DuPont™ Tyvek® and premium butyl sealant.

This durable flashing material is designed to protect the heads and jambs of rectangular windows. These areas can be subjected to wind-driven rain, which can find its way into the window opening and cause water damage.



## DuPont™ StraightFlash™ VF

A FLASHING MATERIAL FOR BRICK MOLD AND  
NON-FLANGED WINDOWS AND DOORS

DuPont™ StraightFlash™ VF (Versatile Flange) is a dual-sided, self-adhered flashing made with DuPont™ Tyvek® and premium butyl sealant.

DuPont™ StraightFlash™ VF provides a reliable moisture seal to integrate brick mold, non-integral flanged and non-flanged windows and doors with the building envelope. The unique dual-sided adhesive and specially designed release papers allow this flashing to tie the window or door frame directly to the sheathing or water-resistive barrier to protect from bulk water leaks.



## Our Specialist Network

A national group of over 180 highly-trained field representatives is available to assist you with your installations.

From the latest updates on building codes, to keeping up with current trends and challenges, your local DuPont™ Tyvek® Specialist can provide on-site consulting and training to help make sure the job gets done right.



## DuPont™ Tyvek® Certified Installer Network

The DuPont™ Tyvek® Certified Installer Program is one more way to put the building science expertise of DuPont right at your fingertips. Your Certified Installer acts as an on-site DuPont™ Tyvek® expert, providing installation services to help completely seal the building envelope.

## Complete system of products

For optimal protection on all your building projects, use DuPont™ Flashing Systems with DuPont™ Tyvek® Weatherization Systems, including DuPont™ Tyvek® HomeWrap®, DuPont™ Tyvek® StuccoWrap®, DuPont™ Tyvek® DrainWrap™, DuPont™ Tyvek® AtticWrap™, DuPont™ Tyvek® ThermaWrap™, DuPont™ Tyvek® Tape, DuPont™ Tyvek® Wrap Caps and DuPont Weatherization Sealant.



For more information, please call  
1-800-44-Tyvek or visit  
[www.Construction.Tyvek.com](http://www.Construction.Tyvek.com)

**DuPont™  
Flashing Systems**



*The miracles of science™*